

May 9, 2023

City of Stamford Zoning Board
c/o Ralph Blessing, Land Use Bureau Chief
888 Washington Boulevard
Stamford, CT 06901

Re: *70 Forest Street and 251 Greyrock Place*
Text Change, Zone Map Change, Special Permit, GDP, and Site and Architectural Plan Applications

Dear Mr. Blessing and Board Members,

As discussed, on behalf of 70 Forest Street LLC, owner of the above referenced properties, enclosed please find applications and supportive materials for a Text Change, Zone Map Change, Special Permit, GDP, and Final Site and Architectural Plan Applications to facilitate the construction of a parking garage. Application details and design elements are described further in the attached Project Narrative and reflected in the enclosed plans.

In support of the applications, enclosed please find:

1. A check in the amount of \$3,580 for:
 - Text Fee: \$1,060
 - Zone Change Fee: \$1,060
 - Site Plan Fee: \$460
 - Public Hearing Fee: \$1,000
2. Text Change Application;
3. Zone Map Change Application;
4. Special Permit Application;
5. GDP Application;
6. Final Site Plan Application;
7. Project Narrative;
8. Text Change;
9. Drawing List;
10. Zone Change Map;
11. Zone Change Map Description;
12. General Property Description;
13. Zoning Data Charts;

Name
Date
Page 2 of 2

14. Aerial Exhibit;
15. ALTA Survey;
16. Engineering Plans;
17. Architectural Plans;
18. Landscape Plans;
19. Engineering Letter;
20. Letter of Authorization;

Please feel free to contact us with any questions or comments. We look forward to continuing to work with you and the Planning & Zoning Boards on this opportunity.

Sincerely,



Raymond R. Mazzeo, AICP

Enclosures

CC: V. Mathur, Principal Planner
Redevelopment Team

May 9, 2023

City of Stamford Planning Board
c/o Ralph Blessing, Land Use Bureau Chief
888 Washington Boulevard
Stamford, CT 06901

Re: 70 Forest Street and 251 Greyrock Place
Text Change, Zone Map Change, GDP, Special Permit, and Site and Architectural Plan Applications

Dear Mr. Blessing,

Please let this letter serve as our formal request for members of the consultant team to speak, should the Planning Board have any questions for the applicant at the forthcoming referral meeting on the Text Change, Zone Map Change, Special Permit, GDP, and Site and Architectural Plan Applications.

Please let us know if you have any questions or would like additional information.

Sincerely,



Raymond R. Mazzeo, AICP

Enclosures

CC: V. Mathur, Principal Planner



APPLICATION FOR TEXT CHANGE OF THE STAMFORD ZONING REGULATIONS

Complete, notarize, and forward **thirteen (13) hard copies and (1) electronic copy in PDF format** to Clerk of the Zoning Board with a **\$1,000.00 Public Hearing Fee** and the required application filling fee (see **Fee Schedule below**), payable to the City of Stamford.

NOTE: Cost of required Public Hearing advertisements are payable by the Applicant and performance of mailing of required property owners is the sole responsibility of the applicant. **LAND RECORDS RECORDING FEE:** \$60.00 for First page - \$5.00 for each additional page)

Fee Schedule

Minor Text Change	\$1,060.00
Major Text Change	\$5,060.00

APPLICANT NAME (S): Raymond R. Mazzeo

APPLICANT ADDRESS: c/o Redniss and Mead (22 First Street - Stamford, CT 06905)

APPLICANT PHONE #: 203-327-0500

IS APPLICANT AN OWNER OF PROPERTY IN THE CITY OF STAMFORD? Yes

LOCATION OF PROPERTY IN STAMFORD OWNED BY APPLICANT (S): 12 Eastover Road

PROPOSED TEXT CHANGE: _____

Please see attached "Text Amendment"

DOES ANY PORTION OF THE PREMISES AFFECTED BY THIS APPLICATION LIE WITHIN 500 FEET OF THE BORDER LINE WITH GREENWICH, DARIEN OR NEW CANAAN? No (If yes, notification must be sent to Town Clerk of neighboring community by registered mail within 7 days of receipt of application – PA 87-307).

DATED AT STAMFORD, CONNECTICUT, THIS 9 DAY OF May 2023

SIGNED: [Signature]

NOTE: Application cannot be scheduled for Public Hearing until 35 days have elapsed from the date of referral to the Stamford Planning Board. If applicant wishes to withdraw application, please notify the Zoning Board at least three (3) days prior to Public Hearing so that the Board may have sufficient time to publicize the withdrawal.

STATE OF CONNECTICUT
 COUNTY OF FAIRFIELD ss STAMFORD May 9 2023

Personally appeared Raymond R. Mazzeo, signer of the foregoing application, who made oath to the truth of the contents hereof, before me.

Notary Public, State of Connecticut
 My Commission Expires Mar 31, 2026

[Signature]
 Notary Public - Commissioner of the Superior Court

FOR OFFICE USE ONLY

APPL. #: _____ Received in the office of the Zoning Board: Date: _____

By: _____



APPLICATION FOR CHANGE IN THE ZONING MAP OF STAMFORD, CONNECTICUT

Complete, notarize, and forward **thirteen (13) hard copies and (1) electronic copy in PDF format** to Clerk of the Zoning Board with a **\$1,000.00 Public Hearing Fee** and the required application filing fee (see **Fee Schedule below**), payable to the City of Stamford.

NOTE: Cost of required Public Hearing advertisements are payable by the Applicant and performance of mailing of required property owners is the sole responsibility of the applicant. **LAND RECORDS RECORDING FEE:** \$60.00 for First page - \$5.00 for each additional page)

Fee Schedule

Map Change (Affected Area of 1 Acre or Less)	\$1,060.00
Map Change (Affected Area of greater than 1 Acre)	\$1,060.00 + \$2,000 per acre or portion thereof in excess of 1 acre

APPLICANT NAME (S): 70 Forest Street LLC

APPLICANT ADDRESS: c/o Redniss and Mead - 22 First Street Stamford, CT 06905

APPLICANT PHONE #: c/o 203-327-0500

IS APPLICANT AN OWNER OF PROPERTY IN THE CITY OF STAMFORD? Yes, 70 Forest Street

PRESENT ZONING DISTRICT: R-H PROPOSED ZONING DISTRICT: P-D

LOCATION OF PROPOSED CHANGE: (Give boundaries of each parcel in proposed change and indicate dimensions from nearest intersecting street. Also include Assessor's Card number and Town Clerk's Block number, and square footage of land. Attach twelve (12) copies of map showing area proposed for change.)

Please see attached Zone Change Description

LIST NAME AND ADDRESS OF THE OWNERS OF ALL LAND INCLUDED WITHIN THE PROPOSED CHANGE:

<u>NAME & ADDRESS</u>	<u>LOCATION</u>
70 FOREST STREET LLC	70 Forest Street
18 E 50TH STREET 10TH FLOOR	Stamford, CT
NEW YORK, NY 10022	

ARE THERE DEED RESTRICTIONS THAT CONFLICT WITH THE PROPOSED ZONE DISTRICT FOR THIS PROPERTY?
n/a

IF YES, LIST REFERENCE TO TOWN CLERK BOOK & PAGE #: _____

DOES ANY PORTION OF THE PREMISES AFFECTED BY THIS APPLICATION LIE WITHIN 500 FEET OF THE BORDER LINE WITH GREENWICH, DARIEN OR NEW CANAAN? No (If yes, notification must be sent to Town Clerk of neighboring community by registered mail within 7 days of receipt of application – PA 87-307).



DATED AT STAMFORD, CONNECTICUT, THIS 9 DAY OF May 2023

SIGNED: [Signature]

NOTE: The application cannot be scheduled for public hearing until 30 days have elapsed from the date of referral to the Stamford Planning Board. If applicant wishes to withdraw the application, this must be done in writing, and be received by the Zoning Board at least three (3) working days prior to public hearing in order to provide sufficient time to publicize the withdrawal. Applications withdrawn less than three (3) days prior to a schedule hearing date will not be rescheduled within 90 days.

STATE OF CONNECTICUT ss STAMFORD May 9 2023

COUNTY OF FAIRFIELD

Personally appeared Raymond R. Mazzeo signer of the foregoing application, who made oath to the truth of the contents thereof, before me.

DAVID PINTO
 Notary Public, State of Connecticut
 My Commission Expires Mar 31, 2026

[Signature]
 Notary Public - Commissioner of the Superior Court

FOR OFFICE USE ONLY

APPL. #: _____ Received in the office of the Zoning Board: Date: _____

By: _____

Revised 04/30/20



APPLICATION FOR SPECIAL PERMIT

Complete, notarize, and forward **thirteen (13) hard copies and (1) electronic copy in PDF format** to Clerk of the Zoning Board with a **\$1,000.00 Public Hearing Fee** and the required application filing fee (**see Fee Schedule below**), payable to the City of Stamford.

NOTE: Cost of required advertisements are payable by the Applicant and performance of required mailing to surrounding property owners is the sole responsibility of the applicant. **LAND RECORDS RECORDING FEE:** \$60.00 for First page - \$5.00 for each additional page)

Fee Schedule

Special Permit 20,000 sq. ft. or less	\$460.00
Special Permit more than 20,000 sq. ft.	\$460.00 + \$30 per 1,000 sq. ft. or portion thereof in excess of 20,000 sq. ft.

APPLICANT NAME (S): 70 FOREST STREET LLC

APPLICANT ADDRESS: c/o Redniss and Mead - 22 First Street Stamford, CT 06905

APPLICANT PHONE #: c/o 203-327-0500

IS APPLICANT AN OWNER OF PROPERTY IN THE CITY OF STAMFORD? Yes

LOCATION OF PROPERTY IN STAMFORD OWNED BY APPLICANT (S): 70 Forest Street and 251 Greyrock Place

ADDRESS OF SUBJECT PROPERTY: 70 Forest Street and 251 Greyrock Place

PRESENT ZONING DISTRICT: P-D (Companion Zone Change Application)

TITLE OF SITE PLANS & ARCHITECTURAL PLANS: Please see attached Drawing List

REQUESTED SPECIAL PERMIT: (Attach written statement describing request)
Please see attached Project Narrative

LOCATION: (Give boundaries of land affected, distance from nearest intersecting streets, lot depths and Town Clerk's Block Number)
Please see attached General Property Description

NAME AND ADDRESS OF OWNERS OF ALL PROPERTY INVOLVED IN REQUEST:

<u>NAME & ADDRESS</u>	<u>LOCATION</u>
70 FOREST STREET LLC 18 E 50TH STREET 10TH FLOOR NEW YORK, NY 10022	70 Forest Street and 251 Greyrock Place Stamford, CT 06905

DOES ANY PORTION OF THE PREMISES AFFECTED BY THIS APPLICATION LIE WITHIN 500 FEET OF THE BORDER LINE WITH GREENWICH, DARIEN OR NEW CANAAN? No (If yes, notification must be sent to Town Clerk of neighboring community by registered mail within 7 days of receipt of application – PA 87-307).

DOES THE PROJECT RESULT IN THE CREATION OF 10 OR MORE UNITS OR 10,000 SF OR MORE IN FLOOR AREA OR DISTURBANCE OF 20,000 SF OR MORE IN LAND AREA, THROUGH NEW DEVELOPMENT, RECONSTRUCTION, ENLARGEMENT OR SUBSTANTIAL ALTERATIONS? No (If yes, then complete the Stamford Sustainability Scorecard per Section 15.F).



DATED AT STAMFORD, CONNECTICUT, THIS 9 DAY OF May 20 23

SIGNED: [Signature]

NOTE: Application cannot be scheduled for Public Hearing until 35 days have elapsed from the date of referral to the Stamford Planning Board. If applicant wishes to withdraw application, please notify the Zoning Board at least three (3) days prior to Public Hearing so that the Board may have sufficient time to publicize the withdrawal.

STATE OF CONNECTICUT
ss STAMFORD May 9 2023
COUNTY OF FAIRFIELD

Personally appeared Raymond R. Muzzo, signer of the foregoing application, who made oath to the truth of the contents thereof before me.

DAVID PINTO
Notary Public, State of Connecticut
My Commission Expires Mar 31, 2026

[Signature]
Notary Public - Commissioner of the Superior Court

FOR OFFICE USE ONLY

APPL. #: _____ Received in the office of the Zoning Board: Date: _____

By: _____

Revised 09/02/2020



APPLICATION FOR APPROVAL OF SITE & ARCHITECTURAL PLANS AND / OR REQUESTED USES

Complete, notarize, and forward **thirteen (13) hard copies and one (1) electronic copy in PDF format** to Clerk of the Zoning Board with a **\$1,000.00 Public Hearing Fee** and the required application filling fee (see **Fee Schedule below**), payable to the City of Stamford.

NOTE: Cost of required Public Hearing advertisements are payable by the Applicant and performance of required mailing to surrounding property owners is the sole responsibility of the applicant. **LAND RECORDS RECORDING FEE:** \$60.00 for First page - \$5.00 for each additional page)

Fee Schedule –WITHOUT GDP

Site Plans 20,000 sq. ft. or less of building area application fee –without GDP	\$460.00
Site Plans more than 20,000 sq. ft. of building area-application Fee –without GDP	\$460.00 + \$30 per 1,000 sq. ft. or portion thereof in excess of 20,000 sq. ft.

Fee Schedule –WITH GDP

Site Plans 20,000 sq. ft. or less of building area application fee –with GDP.	\$260.00
Site Plans more than 20,000 sq. ft. of building area-application Fee –with GDP.	\$260.00 + \$10 per 1,000 sq. ft. or portion thereof in excess of 20,000 sq. ft.

APPLICANT NAME (S): 70 FOREST STREET LLC

APPLICANT ADDRESS: c/o Redniss and Mead - 22 First Street Stamford, CT 06905

APPLICANT PHONE #: c/o 203-327-0500

IS APPLICANT AN OWNER OF PROPERTY IN THE CITY OF STAMFORD? Yes

LOCATION OF PROPERTY IN STAMFORD OWNED BY APPLICANT (S): 70 Forest Street and 251 Greyrock Place

ADDRESS OF SUBJECT PROPERTY: 70 Forest Street and 251 Greyrock Place

PRESENT ZONING DISTRICT: P-D (Companion Zone Change Application)

TITLE OF SITE PLANS & ARCHITECTURAL PLANS: Please see attached Drawing List

REQUESTED USE: Please see attached Project Narrative

LOCATION: (Give boundaries of land affected, distance from nearest intersecting streets, lot depths and Town Clerk’s Block Number)

Please see attached General Property Description

NAME AND ADDRESS OF OWNERS OF ALL PROPERTY INVOLVED IN REQUEST:

<u>NAME & ADDRESS</u>	<u>LOCATION</u>
70 FOREST STREET LLC 18 E 50TH STREET 10TH FLOOR NEW YORK, NY 10022	70 Forest Street and 251 Greyrock Place Stamford, CT 06905

DOES ANY PORTION OF THE PREMISES AFFECTED BY THIS APPLICATION LIE WITHIN 500 FEET OF THE BORDER LINE WITH GREENWICH, DARIEN OR NEW CANAAN? No (If yes, notification must be sent to Town Clerk of neighboring community by registered mail within 7 days of receipt of application – PA 87-307).

DOES THE PROJECT RESULT IN THE CREATION OF 10 OR MORE UNITS OR 10,000 SF OR MORE IN FLOOR AREA OR DISTURBANCE OF 20,000 SF OR MORE IN LAND AREA, THROUGH NEW DEVELOPMENT, RECONSTRUCTION, ENLARGEMENT OR SUBSTANTIAL ALTERATIONS? No (If yes, then complete the Stamford Sustainability Scorecard per Section 15.F).



DATED AT STAMFORD, CONNECTICUT, THIS 9 DAY OF May 2023

SIGNED: [Signature]

NOTE: The application cannot be scheduled for public hearing until 35 days have elapsed from the date of referral to the Stamford Planning Board. If applicant wishes to withdraw the application, this must be done in writing, and be received by the Zoning Board at least three (3) working days prior to public hearing in order to provide sufficient time to publicize the withdrawal. Applications withdrawn less than three (3) days prior to a schedule hearing date will not be rescheduled within 90 days.

STATE OF CONNECTICUT ss STAMFORD May 9 2023

COUNTY OF FAIRFIELD

Personally appeared Raymond R. Wazzeo, signer of the foregoing application, who made oath to the truth of the contents thereof, before me.

DAVID PINTO
Notary Public, State of Connecticut
My Commission Expires Mar 31, 2026

[Signature]
Notary Public - Commissioner of the Superior Court

FOR OFFICE USE ONLY

APPL. #: _____ Received in the office of the Zoning Board: Date: _____

By: _____



APPLICATION FOR APPROVAL OF SITE & ARCHITECTURAL PLANS AND / OR REQUESTED USES

Complete, notarize, and forward **thirteen (13) copies and one (1) electronic copy in PDF format** to Clerk of the Zoning Board with a **\$1,000.00 Public Hearing Fee** and the required application filing fee (see **Fee Schedule below**), payable to the City of Stamford.

NOTE: Cost of required Public Hearing advertisements are payable by the Applicant and performance of required mailing to surrounding property owners is the sole responsibility of the applicant. **LAND RECORDS RECORDING FEE:** \$60.00 for First page - \$5.00 for each additional page)

(GENERAL DEVELOPMENT PLAN)

Fee Schedule

General Development Plan – Sites 20,000 sq. ft. or less parcel area.	\$460.00
General Development Plan – Sites more than 20,000 sq. ft. or parcel area.	\$460 + \$20 per 1,000 sq. ft. in excess of 20,000 sq. ft.

APPLICANT NAME (S): 70 FOREST STREET LLC

APPLICANT ADDRESS: c/o Redniss & Mead - 22 First Street - Stamford, CT 06905

APPLICANT PHONE #: c/o 203-327-0500

IS APPLICANT AN OWNER OF PROPERTY IN THE CITY OF STAMFORD? Yes

LOCATION OF PROPERTY IN STAMFORD OWNED BY APPLICANT (S): 70 Forest Street and 251 Greyrock Place

ADDRESS OF SUBJECT PROPERTY: 70 Forest Street and 251 Greyrock Place

PRESENT ZONING DISTRICT: P-D (Companion Zone Change Application)

TITLE OF SITE PLANS & ARCHITECTURAL PLANS: Please see attached Drawing List

REQUESTED USE: Modification of GDP Approval# 204-14. Please see attached Project Narrative for further details

LOCATION: (Give boundaries of land affected, distance from nearest intersecting streets, lot depths and Town Clerk's Block Number)

Please see attached General Property Description

NAME AND ADDRESS OF OWNERS OF ALL PROPERTY INVOLVED IN REQUEST:

NAME & ADDRESS

LOCATION

70 FOREST STREET LLC
 18 E 50TH STREET 10TH FLOOR
 NEW YORK, NY 10022

70 Forest Street and
 251 Greyrock Place
 Stamford, CT 06905

DOES ANY PORTION OF THE PREMISES AFFECTED BY THIS APPLICATION LIE WITHIN 500 FEET OF THE BORDER LINE WITH GREENWICH, DARIEN OR NEW CANAAN? No (If yes, notification must be sent to Town Clerk of neighboring community by registered mail within 7 days of receipt of application – PA 87-307).

DOES THE PROJECT RESULT IN THE CREATION OF 10 OR MORE UNITS OR 10,000 SF OR MORE IN FLOOR AREA OR DISTURBANCE OF 20,000 SF OR MORE IN LAND AREA, THROUGH NEW DEVELOPMENT, RECONSTRUCTION, ENLARGEMENT OR SUBSTANTIAL ALTERATIONS? Yes (If yes, then complete the Stamford Sustainability Scorecard per Section 15.F).



DATED AT STAMFORD, CONNECTICUT, THIS 9 DAY OF May 2023

SIGNED: [Signature]

NOTE: Application cannot be scheduled for Public Hearing until 35 days have elapsed from the date of referral to the Stamford Planning Board. If applicant wishes to withdraw application, please notify the Zoning Board at least three (3) days prior to Public Hearing so that the Board may have sufficient time to publicize the withdrawal.

STATE OF CONNECTICUT ss STAMFORD May 9 2023

COUNTY OF FAIRFIELD

Personally appeared Raymond R. Mazza, signer of the foregoing application, who made oath to the truth of the contents thereof, before me.

DAVID PINTO
 Notary Public, State of Connecticut
 My Commission Expires Mar 31, 2026

[Signature]
 Notary Public - ~~Commissioner of the Superior Court~~

FOR OFFICE USE ONLY

APPL. #: _____ Received in the office of the Zoning Board: Date: _____

By: _____

Revised 09/02/2020

Project Narrative
70 Forest Street & 251 Greyrock Place
Text Change, Zone Change, GDP and Final Site & Architectural Plan Applications
May 10, 2023

1. Introduction/Background

70 Forest Street LLC (“the Applicant”) is the owner of properties known as 70 Forest Street and 251 Greyrock Place (collectively “the Site”). The combined site is approximately 1.15 acres located in Master Plan Category 11 (Downtown). The 251 Greyrock property is currently located in the R-H (Multiple Family High Density Design) District while the 70 Forest Street property is located in the P-D (Planned Development) District.

70 Forest is home to HighGrove, a 17-story luxury apartment building constructed in 2011 and containing 93 apartments in a mix of mostly large 2- and 3-bedroom units. The Greyrock property is currently vacant, but previously supported a 2.5-story single-family home.

HighGrove has operated for the last 10+ years with a 100% valet parking garage, and is now looking to create some additional parking capacity for its residents. The proposed plans will incorporate the Greyrock parcel into the overall site with a small 2-story (plus basement) garage addition that will connect directly to the existing garage levels and include an accessible landscaped roof deck. The garage will provide space for a total of up to 48 vehicles in a valet parking system. No additional units or changes to the rest of the building are proposed.

To facilitate the proposed improvements, the Applicant is submitting the following applications:

- A. Text Change - relating to Building Coverage and setbacks of structures not exceeding 20’ in height within the P-D District.
- B. Zoning Map Change – The proposed map change will bring the Greyrock parcel into the P-D District, consistent with the overall site and surrounding areas.
- C. Special Permit - Pursuant to §12.D.1.g the Applicant requests a modification of the dimension of circulation aisle to permit a 12’ wide 2-way access to the proposed spaces on each level.
- D. General Development Plan – to amend the prior GDP approval (204-14) to include the additional land area and proposed garage addition.
- E. Final Site & Architectural Plans & Requested Uses – for the proposed garage addition.

2. Surrounding Area

The surrounding area is predominantly Master Plan Category 11 (Downtown) with areas of Categories 5 (Residential – High Density Multifamily) and 4 (Residential – Medium Density Multifamily) further east across Grove Street. The nearby Zoning Districts are more mixed with predominantly P-D (Planned Development) in the immediate area and R-H (Multiple Family High Density Design), MX-D (Mixed Use Development), C-G (General Commercial), and R-MF (Multiple Family Residence Design) in surrounding areas.

Properties within this area of Downtown are mostly high-density residential with several high-rises (HighGrove, Sofi at 50 Forest, The Classic and others further northwest along Prospect Street) and mid-rise apartments (Parc Grove, Broad/Greyrock under construction). To the north and east of the Site are also smaller scale 2- and 3-story condominium complexes. The Site is within 1 mile of the Stamford Transportation Center and I-95 and less than 1,000 feet from the Stamford Town Center and nearby shops and restaurants on Bedford Street. It is well served by sidewalk connections to the surrounding community.

3. Project Area/Development Site

The Site is approximately 1.15 acres comprised of the HighGrove property and adjoining 3,000± sf residential parcel on Greyrock. HighGrove is a 17-story, 170' tall residential building containing 93 large 2- and 3-bedroom luxury rental apartments. Primary resident and vehicle access is on Forest Street. The multi-level garage operates as a full valet system with a vehicle elevator to access basement and upper levels. There are no floor-to-floor ramps.

The original development, approved in 2004 and completed in 2011, was conceived as a condo project. At the time the pre-sale units were the highest price per square foot Stamford had ever seen, and served as a catalyst for the Downtown housing boom over the last 10-15 years. Units in the building differ from most downtown apartments. With average sizes of over 2,600 sf, the units are larger than many single-family homes. As such, they serve a different clientele, with larger household sizes and/or residents transitioning from a suburban setting and therefore maintaining ownership of multiple vehicles.

While the typical peak demand for a Downtown apartment building is closer to 0.85 spaces per unit on average, HighGrove residents average nearly 1.5 vehicles per unit, or 138 cars in total. The building is truly an outlier when compared to typical multi-family buildings – in terms of both bedroom count and overall unit sizes. An accompanying parking comparison provides some perspective on the building in relation to other recently approved multi-family buildings.

The approved garage demonstrated capacity for up to 258 vehicles with an aggressive valet stacking plan. The existing building, however, was constructed differently (including the removal a 4th level of parking and areas of limited clear height due to mechanical equipment) such that the valet system cannot operate efficiently with more than 130 vehicles onsite. This number generally meets the applicable parking requirement, but cannot appropriately serve the building's tenants.

4. Proposed Development

The proposed garage addition will add space for up to 36 vehicles. The basement and second levels can accommodate approximately 12 cars each. The ground floor will either house another 12 cars as part of the valet operation, or 8 self-park spaces to be separately accessed from the Greyrock entrance. Each floor of the new garage will be accessible from the existing garage and use the existing Forest Street driveway as the means of ingress and egress. The Greyrock driveway will only be used for emergency purposes, or to serve up to 8 assigned self-park spaces for specific residents should the ground level be used that way.

The proposed garage addition is 2 above-grade stories, roughly 17' in height, with an accessible landscaped rooftop. All facades will be clad in brick to match the existing building. The new addition will include open metal grate windows to give the structure a more residential look and feel. The windows can also be fully enclosed, where appropriate, and/or include an inset metal mesh screen.

The landscaping plan includes evergreen trees along both the eastern and northern building face. Pursuant to Section 12.K.3.e. of the Regulations, the existing 5' wide concrete sidewalk along the Greyrock frontage will be replaced in kind. The landscaped roof deck will also include evergreen plantings along both the west and east sides to serve as a privacy buffer for both the building's residents and neighbors. The accessible portions of the terrace will provide passive outdoor space for residents.

While there is no change to the required number of spaces, since up to 36 additional spaces are proposed, the Applicant is also proposing to include at least 3 new EV charging stations within the garage.

5. Action Items

To facilitate potential addition, the Applicant has submitted the following applications.

- **Text Change** – The Applicant requests a modification Section 9.B P-D (Planned Development District) as follows:
 - 9.B.4.e – Amend building coverage from 55% to 60% (for all structures) to accommodate the 2-story garage addition. The P-D Zone includes several complicated building coverage allowances for different portions of the building depending on their respective heights. Total building coverage can already reach up to 70% in certain scenarios.
 - 9.B.4.r – Amend the ZB permission of reduced setbacks for structures under 20' in height to include side yards and include landscaped parking structures. The regulation already permits reduced front yard setbacks for certain types of structures under 20' in height. The proposed change is similar to the way accessory structures are treated in other zones.
- **Zone Change** – The Applicant requests a zone change from R-H to P-D to put the additional parcel in the same zone as the main parcel (into which it is being consolidated).
- **Special Permit** – Pursuant to §12.D.1.g applicant requests a modification of the dimension of circulation aisle to permit a 12' wide 2-way access to the proposed spaces on each level. With a valet-only operation and only 8-12 spaces being accessed at each level, the proposed dimension is more than adequate for safe maneuvering. It is worth noting that a 10' wide drive aisle is permitted for 2-way traffic accessing 10 or fewer spaces. This situation is only 2 additional spaces at most, and exclusively managed by the valet operation.
- **Amend GDP 204-14** – To facilitate the garage addition, the Applicant is proposing to amend the prior GDP to include the Greyrock parcel, to be consolidated into a single parcel. No other changes to the approved multi-family building are proposed.

- **Final Site & Architectural Plans** – The Applicant requests approval of the proposed garage addition, including proposed location, height, coverage, relationships with buildings and property lines, building materials, landscaping, parking, vehicular access, and streetscapes.

6. Conclusions

The proposed changes will solve an ongoing operational issue for one of Stamford’s premier Downtown apartment buildings, while making practical use of a small vacant lot. The modest low-profile addition will improve the streetscape and site landscaping, while helping to activate the frontage with passive rooftop amenity space that can be enjoyed by residents.

7. Statement of Findings

I. The above referenced specific Special Permit is specific to the proposed vehicular access width to the additional spaces. The Applicant submits that all applicable criteria contained in Stamford Zoning Regulations Article V, §19.C.2 are either met, or not applicable, for the following specific reasons:

a. Special Permits shall be granted by the reviewing board only upon a finding that the proposed use or structure or the proposed extension or alteration of an existing use or structure is in accord with the public convenience and welfare after taking into account, where appropriate:

1) the location and nature of the proposed site including its size and configuration, the proposed size, scale and arrangement of structures, drives and parking areas and the proximity of existing dwellings and other structures.

The proposed addition is only 2 stories and less than 20’ in height. Its scale and configuration are appropriate for the surroundings and serves as only a minor appendage to the 170’ main building.

2) the nature and intensity of the proposed use in relation to its site and the surrounding area. Operations in connection with special permit uses shall not be injurious to the neighborhood, shall be in harmony with the general purpose and intent of these Regulations and shall not be more objectionable to nearby properties by reason of noise, fumes, vibration, artificial lighting or other potential disturbances to the health, safety or peaceful enjoyment of property than the public necessity demands.

There is no changed to the intensity of use, as no traffic generating additions are being made. There are no anticipated objectionable impacts or potential disturbances to nearby properties.

3) the resulting traffic patterns, the adequacy of existing streets to accommodate the traffic associated with the proposed use, the adequacy of proposed off-street parking and loading, and the extent to which proposed driveways may cause a safety hazard, or traffic nuisance.

Traffic can be safely and adequately accommodated on the surrounding streets; and onsite parking capacity is being improved.

4) the nature of the surrounding area and the extent to which the proposed use or feature might

impair its present and future development.

The proposed addition does not impact or impair present or future development of surrounding areas.

5) *the Master Plan of the City of Stamford and all statements of the purpose and intent of these regulations.*

Category 11 (Downtown) of the Master Plan is intended “to provide for and protect an intensive, pedestrian-oriented mixed-use district. Intended is a full array of retail, office, cultural, recreation and residential uses serviced by mass transportation and integrated pedestrian access systems, always at-grade, enhanced by up-to-date lighting, seating, planting, signage, etc., to assure a desirable mixing and interaction of people and activities. A variety of scale and design in new construction is to be encouraged.” The proposed development fits within this category and fulfills the policy goals of the neighborhood.

The proposed changes will solve an ongoing operational issue for one of Stamford’s premier Downtown apartment buildings, while making practical use of a small vacant lot. The modest low-profile addition will improve the streetscape and site landscaping, while helping to activate the frontage with passive rooftop amenity space that can be enjoyed by residents. For all of the reasons state, the Applicant submits that the proposal and the associated Special Permit request are in accord with the public convenience and welfare.

II. Pursuant to Section 19.D.4 Standards for Review the applicant submits that all applicable criteria are met for the following reasons:

In reviewing site plans the Zoning Board shall take into consideration the purpose of these Regulations, including the purpose of the applicable zoning district and the goals and policies of the Stamford Master Plan, the public health, safety and general welfare and convenience of the general public and the maintenance of property values. In its review the Board may modify a site plan or condition an approval to the extent necessary to conform the site plan to the following standards and objectives:

(1) *Safe, adequate and convenient vehicular traffic circulation, operation, parking and loading, and pedestrian circulation, both within and without the site.*

(a) *The number, locations and dimensions of all vehicular and pedestrian access drives and walkways, parking spaces, drop-off and loading areas, and provisions for handicapped access shall conform to the standards of Section 12 of these Regulations, to the adopted design criteria and engineering practices of the Dept. of Traffic and Parking, and all other applicable standards. Such areas shall be constructed of suitable hard surface materials and maintained in good condition.*

The existing multi-family building and its parking, drives, and pedestrian access will remain generally unchanged. The garage addition will simply add to the capacity fo the existing valet operation, with the potential for up to 8 parking spaces to access the site via Greyrock Place in a similar location as the previously existing driveway.

- (b) *The number of vehicle access drives shall be minimized and shall be located and designed to provide safe and convenient turning movements and safe sightline as determined in accordance with the Geometric Highway Design Standards of the Conn. Dept. of Transportation.*

The number and general location of vehicle access drives is being maintained. The proposed garage access on Greyrock Place is provided in accordance with the Geometric Highway Design Standards of the Connecticut Department of Transportation (the "DOT").

- (c) *Area streets and traffic controls shall be determined to have adequate capacity to service the site without causing undue congestion or hazardous conditions.*

There is no proposed change to the traffic demand of the site as no additional residential units or any other traffic generating uses are being proposed.

- (2) *The protection of environmental quality, landscaping of open space and harmony with existing development. The Board shall take into consideration the following features and standards:*

- (a) *The location, height, design and materials of walls, fences, hedges and plantings shall be appropriate to the vicinity and shall suitably screen parking, loading, garbage collection facilities, outside storage areas, accessway drives, utility installations and other such features; such landscaping shall be appropriate to the general character of the vicinity and consider the proximity and nature of abutting uses and the level of use of adjoining public streets and walkways.*

The proposed landscaping, in concert with the building design, is appropriate and adequately screens the parking. Such landscaping is thoughtful of abutting uses and enhances the public streetscape.

- (b) *All open space areas, exclusive of undisturbed natural areas, shall be suitably landscaped to the satisfaction of the Board. Site landscaping shall be performed at a minimum dollar value equivalent to one shade tree of 2.5 inch caliper for every two hundred (200) square feet of landscaped area. In multi-family developments, open space shall be designed to provide functional outdoor living and play areas meeting the needs of intended residents.*

The Applicant is enhancing open spaces by providing an accessible landscaped rooftop on the proposed addition, as well as at-grade landscaping improvements.

- (c) *Soil erosion, sediment and the release of excessive dust shall be controlled through implementation of suitable short term and long term controls in accordance with the standards and procedures of Section 15-B.*

A comprehensive Sedimentation and Erosion Control Plan has been prepared by Redniss and Mead, which ensures that the standards and procedures of Section 15-B of the Regulations are satisfied. A copy of this plan is enclosed herewith.

- (d) *Site development shall seek to preserve existing specimen trees, historic structures and other significant natural features of the site. Accordingly, the premature demolition and site clearance of prospective development sites is specifically discouraged and may be taken into consideration in subsequent site plan reviews.*

The redevelopment area is in an urban setting with a comprehensive planting plan including new deciduous and evergreen trees.

- (e) *Artificial lighting, and site generated noise, odors, particles and other disturbances shall be controlled to avoid interference with the use and enjoyment of neighboring properties. The location, height, design and arrangement of outside lighting shall be consistent with safety such as to avoid glare on any other lot and to avoid hazards to traffic on any street.*

All artificial lighting and site generated noise and other disturbance shall be controlled and will not interfere with the use and enjoyment of the neighboring properties. Furthermore, the location, height, design and arrangement of outside lighting shall be consistent with safety to avoid glare on any other lot and to avoid hazards to traffic on adjacent roadways.

- (f) *Available public utilities shall be adequate in capacity to safely service the requirements of the site. Surface water drainage facilities shall be adequate to safely drain the site while minimizing the risk of downstream flooding and erosion. Where infrastructure capacity is judged not to be adequate the Board may accept a binding agreement to perform suitable improvements.*

A comprehensive drainage plan and statement have been prepared by Redniss and Mead, and are submitted with the enclosed materials. The plans illustrate the adequacy and availability of public utilities for the site.

- (g) *Adequate provision shall be made for emergency vehicle access, fire lanes, and safe fire flows, upon the recommendation of the Fire Marshall and the public water utility.*

Emergency first responders will be able to access the Property safely and conveniently.

- (h) *The arrangement, location, apparent bulk, architectural features, materials, texture and color of proposed buildings and structures shall establish an architectural character and overall site design compatible with the scale and general character of the vicinity.*

At only 2 stories and less than 20' in height, the proposed addition is relatively small in scale, particularly in comparison to the existing 170' tower to which it will connect. The proposed materials are intended to match the existing building.

- (i) *Building setbacks and the configuration of open space shall be appropriate to the existing structures on adjoining properties and established patterns of use of side and rear yard areas, and to the existing physical conditions of the site.*

The proposed setbacks and open space for the accessory garage addition are similar to neighboring properties with enhanced open space and landscaping.

- (j) *No use shall be permitted that will cause or result in:*
- dissemination of dust, smoke, observable gas or fumes, odor, noise or vibration beyond the immediate site of the building in which such use is conducted, or*
 - unusual hazard of fire or explosion or other physical hazard to any adjacent buildings, or*
 - harmful discharge of liquid materials, or*
 - unusual traffic hazard or congestion due to the type of vehicles required in the use or due to the manner in which traffic enters or leaves the site of the use.*

No nuisance or hazardous conditions are anticipated, consistent with the engineering materials provided herein.

- (k) *All buildings and grounds and other structures shall be maintained in good repair and in safe, clean and sanitary condition. All landscaping required pursuant to an approved site plan shall be installed to the satisfaction of the Director of Parks and Recreation and shall thereafter be maintained in accordance with an agreement to be made part of the application of record, which agreement shall be enforced by the Zoning Enforcement Officer, upon advice of the Director.*

The Applicants are amenable to a condition of approval requiring the execution of a Landscape Maintenance Agreement prior to the issuance of a Certificate of Occupancy.

Text Change
§9.B P-D Planned Development District

Amend 9.B.4.e to read as follows:

- e. The total area occupied by principal *Structures* in the P-D PLANNED DEVELOPMENT DISTRICT may not exceed forty percent (40%) of the site. *Accessory Structures* may occupy an additional forty percent (40%) of the site, provided that site coverage of all *Structures* shall not exceed seventy percent (70%) and that accessory parking *Structures* do not exceed twenty feet (20') in height above the average grade excluding parapet walls, and include a landscaped roof with direct *Structured* access for the benefit of the residents of the *Development* as *Usable Open Space*. Notwithstanding the above, where the total area occupied by all *Structures* including accessory parking *Structures* does not exceed 55.60% and all parking floors are suitably screened from sensitive public views, the Zoning Board may authorize increased height of accessory parking *Structures* not to exceed thirty-five (35) feet, may exempt the coverage of one-*Story* porches, porte cocheres, and balconies not to exceed three percent (3%), and may, on the roof of accessory parking *Structures*, approve the location of one-*Story* active recreation *Structures* which shall be exempt from height limitations.

Amend 9.B.4.f as follows:

- f. The restrictions of the R-MF Multiple Family Residence District, pertaining to *Front Yards*, *Side Yards* and *Rear Yards*, shall apply, provided that the Zoning Board may authorize a reduction in *Front Yard* and *Side Yard* setbacks for porches, porte cocheres, landscaped parking structures, balconies and similar architectural features not exceeding a height of twenty feet above finished grade measured at the foundation.

**70 Forest Street & 251 Greyrock Place
Special Permit and Site & Architectural Plans**

Zoning Data Chart - P-D (Planned Development District)

Standard	Permitted P-D Zone	Existing/ Approved	Proposed	Notes
Min Lot Area	30,000	47,150	50,143	Complies. Assumes zone change and consolidation of 251 Greyrock Place.
Max Building Height	170'	170'	No Change	Complies.
Max Building Coverage	*60%	54%	58%	Complies. Text Change (from 55%-60%).
Max Dwelling Units	124 (108 DU/Acre)	93	No Change	Complies.
Primary Setbacks				
Front	15'	17.5' (Forest St.)	No Change	Complies.
Side	15'	15.1' (west)	No Change	
Accessory Setbacks				
Front	*by ZB	8.6' (Forest St)	5' (Greyrock Pl)	Complies. Text Change to include garage structures (less than 20' in height) in permitted setback reductions.
Side	*by ZB	15.0' (west)	0' (west)	

Parking

Unit Type	Required	Existing	Proposed	Notes
1-BR (1.0/du)	1	130±	166±	Complies. Total parking assumes up to an additional 36 spaces depending on final layout of parking within the proposed 3-level garage addition.
2-BR (1.25/du)	40			
3-BR (1.5/du)	52			
Total	93			


Notes

*Pursuant to companion Text Change application.

High Grove
Comparative Parking Data

	Parking Spaces	Units <i>(spaces/unit)</i>		Bedrooms* <i>(spaces/bedroom)</i>		Unit Floor Area <i>(spaces/1,000 sf)</i>		Notes
High Grove (existing)	130	93	<i>(1.40)</i>	237	<i>(0.55)</i>	245,009	<i>(0.53)</i>	Proposed changes bring the parking more in line with the bedroom and floor area ratios of other nearby projects
High Grove (proposed)	166	93	<i>(1.78)</i>	237	<i>(0.70)</i>	245,009	<i>(0.68)</i>	
777 Summer	289	356	<i>(0.81)</i>	430	<i>(0.67)</i>	263,796	<i>(1.10)</i>	under construction
The Smyth	445	414	<i>(1.07)</i>	655	<i>(0.68)</i>	393,300	<i>(1.13)</i>	under construction
RMS Broad	238	228	<i>(1.04)</i>	306	<i>(0.78)</i>	180,804	<i>(1.32)</i>	under construction
Walton Place	262	224	<i>(1.17)</i>	334	<i>(0.78)</i>	245,220	<i>(1.07)</i>	approved

*studios included as having one bedroom



AERIAL EXHIBIT
70 FOREST STREET AND 251 GREYROCK PLACE
STAMFORD, CT



**REDNISS
& MEAD**

LAND SURVEYING
CIVIL ENGINEERING
PLANNING & ZONING CONSULTING
PERMITTING

22 First Street | Stamford, CT 06905
Tel: 203.327.0500 | Fax: 203.357.1118
www.rednissmead.com

COMM. NO.:	DATE:
6258	5/10/2023
	SCALE:
	1"=80'

May 9, 2023


**General Property Description
70 Forest Street and 251 Greyrock Place
Text Change, Zone Map Change, Special Permit, GDP, and
Site and Architectural Plan Applications**

Block #: 203
Area: 1.15± Acres

All that parcel of land referred to as 70 Forest Street (004-5379) & 251 Greyrock Place (004-5379) and commonly known as High Grove, located in the City of Stamford and is generally bounded by the following:

Beginning at a point at the northerly side of Forest Street and the southwesterly corner of 82 Forest Street, running in the following directions:

Southerly: 204'± by the northerly side of Forest Street;
Westerly: 328'± by land n/f of Forestbroad LLC;
Northerly: 50'± by the southerly side of Greyrock Place;
Easterly: 60'± by land n/f of Splendor Condominium (Various Unit Owners);
Northerly: 188'± by said land n/f of Splendor Condominium (Various Unit Owners);
Easterly: 74'± by the westerly side of Grove Street;
Southerly: 56'± by land n/f of Forest Grove Condominium (Various Unit Owners);
Easterly: 170'± by said land n/f of Forest Grove Condominium (Various Unit Owners) to the point of beginning.



AREA TO BE
CHANGED FROM
R-H TO P-D

- Key
-  Property Line
 -  Zone Change Area

ZONE CHANGE EXHIBIT
70 Forest Street and 251 Greyrock Place
STAMFORD, CT



COMM. NO.: 6258 DATE: 4/26/2023 SCALE: N.T.S.

Zone Change Description
70 Forest Street and 251 Greyrock Place
Text Change, Zone Map Change, Special Permit, GDP, and Site and Architectural Plan
Applications
May 9, 2023

Block #: 203

Area: 3,831 SF ± (includes 826sf of portion of Greyrock Place right-of-way along site frontage)

DESCRIPTION OF AREA OF ZONE CHANGE FROM R-H (MULTIPLE FAMILY DISTRICTS, HIGH DENSITY) TO P-D (PLANNED DEVELOPMENT DISTRICTS):


Including land commonly known as 70 Forest Street (004-5379); located in the City of Stamford, and generally described as follows:

Beginning at the midpoint of Greyrock Place said land is bounded as follows:

- Easterly: 80' ± through Greyrock Place and land n/f of Spelndor Condominium (Various unit Owners), each in part;
- Southerly: 49'± by land n/f of 70 Forest Street LLC;
- Westerly: 80'± by land n/f of Forestbroad LLC to the midpoint of Greyrock Place;
- Northerly: 42'± by the centerline of Greyrock Place to the point of beginning.

Drawing List
70 Forest Street and 251 Greyrock Place
Text Change, Zone Map Change, Special Permit, GDP, and Final
Site and Architectural Plan Applications
May 10, 2023

<u>Sheet #</u>	<u>Title/Description</u>	<u>Prepared by</u>	<u>Date</u>
<u>Civil</u>			
ALTA	ALTA/NSPS Land Title Survey	Redniss & Mead	12/3/2018
GDP	General Development Plan	Redniss & Mead	5/9/2023
SE-1	Site Development Plan	Redniss & Mead	5/9/2023
SE-2	Sediment & Erosion Control Plan	Redniss & Mead	5/9/2023
SE-3	Notes & Details	Redniss & Mead	5/9/2023
<u>Architectural</u>			
	Cover Page	Beinfield Architecture	5/9/2023
A1.00	Basement	Beinfield Architecture	5/9/2023
A1.01	Level 1	Beinfield Architecture	5/9/2023
A1.02	Level 2	Beinfield Architecture	5/9/2023
A1.04	Bldg Roof	Beinfield Architecture	5/9/2023
A2.03	Section @ Condo Building	Beinfield Architecture	5/9/2023
A2.04	Section	Beinfield Architecture	5/9/2023
<u>Landscape</u>			
LP.1	Landscape Plan	Environmental Land Solutions, LLC	8/3/2022



STAMFORD, CT SCALE: 1"=800'
ORIENTATION

NOTES:

- This survey has been prepared in accordance with Sections 20-300b-1 thru 20-300b-20 of the Regulations of Connecticut State Agencies and the "Standards for Surveys and Maps in the State of Connecticut" as adopted by the Connecticut Association of Land Surveyors, Inc. as a Property Survey the Boundary Determination Category of which is a Resurvey conforming to Horizontal Accuracy Class A-2 and Vertical Class V-2. It is intended to be used for conveyance or mortgaging purposes.
- Areas of the surveyed parcels:
Title Parcel A = 47,150 SF or 1.0824 Ac.
Title Parcel B = 2,993 SF or 0.0687 Ac.
Total area = 50,143 SF or 1.1511 Ac.
- Reference is made to Map 1,3569 of the Stamford Land Records and to the deed of record found in Bk. 11482, Pg. 306 of the Stamford Land Records (SLR)
- Reference is made to Old Republic National Title Insurance Company File No. CT251449, dated 10/29/2018. There are no mappable survey related items in Schedule B, Section II with respect to 70 Forest Street. Notice to terminate right-of-way, easement or privilege filed in v. 5935, P. 311 S.L.R., as it affects 251 Greyrock Place is depicted and labeled hereon.
- No portion of the subject property lies in a Special Flood Hazard Zone. As depicted on Flood Insurance Rate Map No. 09001C0516G, dated July 8, 2013, it lies in Zone X.
- The Property has direct access to Forest and Grove Streets, each a dedicated public street or highway.
- Elevations depicted hereon are based on the North American Vertical Datum of 1988 (NAVD88).
- Pursuant to zoning approvals found in Bk. 7685, Pg. 37 and Bk. 8016, Pg. 339 (title commitment items 11 & 12), space requirements were amended to allow for tandem and mechanical valet operated parking. There are 125 required spaces - 139 provided, 2 of which are "Handicap".
- Reference is made to ZBA Approval, Appl. 204-49, recorded in Bk. 8016, Pg. 339 SLR. Existing zoning data:
Building Height:
MAXIMUM ALLOWED = 170.00'
EXISTING: = 193.78' Roof elev.
= 23.81' Avg. Grade
= 169.97' Building Height
Building Coverage:
Total Allowed = 33,005 SF or 70%
Existing = 26,733 SF or 56.7%
- There is no observed evidence of current earth moving work, building construction or building additions at the Property.
- According to the Department of Operations of the City of Stamford, there are no proposed changes in street right of way lines affecting the Property.
- There is no observed evidence of use of the Property as a solid waste dump, sump or sanitary landfill
- Subsurface utility, structure and facility locations depicted hereon have been compiled, in part, from municipal records and field measurements. These locations must be considered as approximate, may not be complete and other such features may exist on the site. The size, location and existence of all such features must be verified by the appropriate authorities prior to construction.
- Reference is made to "Zoning and Site Requirements Summary" 70 Forest Street and 251 Greyrock Place, Stamford, Connecticut prepared by The Planning & Zoning Resource Company and dated 12/03/2018, PZR Site Number: 125443-1

PARCEL A

All that certain piece or parcel of land situated in the City of Stamford, County of Fairfield, and State of Connecticut, and more particularly bounded and described as follows:

Beginning at a point on the northerly side of Forest Street said point lying 65.00 feet westerly of the intersection of said northerly side of Forest Street with the westerly side of Grove Street;

running thence along said Forest Street S 86° 44' 32" W a distance of 63.90 feet and S 86° 57' 20" W a distance of 140.42 feet to land now or formerly of Forest Grove Condominium LLC;

running thence along said land of Forest Grove LLC N 12° 05' 08" E a distance of 266.98 feet to the southerly side of land now or formerly of Phyllis J. Stephenson;

running thence along said Stephenson and along the southerly side of land now or formerly of the unit owners of "Splendor Condominium" S 88° 56' 11" E a distance of 187.61 feet to the westerly side of Grove Street;

running thence along said Grove Street S 03° 08' 11" E a distance of 11.85 feet and S 06° 23' 29" E a distance of 63.00 feet to the northerly side of land now or formerly of the unit owners of "Forest Grove Condominium";

running thence along said Forest Grove Condominium S 87° 57' 12" W a distance of 56.00 feet and S 02° 58' 38" E a distance of 170.28 feet to the Point of Beginning.

PARCEL B

All that certain piece, parcel or tract of land situated in the City of Stamford, County of Fairfield and State of Connecticut, bounded and described as follows:

NORTHERLY: Fifty and 00/100 (50.00) feet by Greyrock Place, sometimes called North Greyrock Place;

EASTERLY: Sixty and 00/100 (60.00) feet by land, now or formerly of Nick Begetis and Christine Sofronas;

SOUTHERLY: Fifty and 00/100 (50.00) feet, more or less by land, now or formerly, of Harry Isovkiok and in part by a driftway 12 feet in width; and

WESTERLY: Sixty and 00/100 (60.00) feet, more or less, by land of the City of Stamford.

PLANNED DEVELOPMENT ZONE		
P-D REQUIREMENTS		
CRITERIA	REQUIRED	EXISTING
FRONT YARD	15' (40' from CL)	8.6'/17.5'(45')
REAR YARD	30' (N/A)	(N/A)
SIDE YARD	15'	15.1'
BLDG. HEIGHT	170' Max.	169.97'
LOT SIZE	30,000 S.F. Min.	47,150 S.F.
FRONTAGE	40'	267.32'
BLDG. CVG.	70% Max.	56.7%

Refer to notes 2, 8, 9 & 15

SURVEY CERTIFICATION:

To: 70 Forest Street, LLC; Chicago Title Insurance Company; Old Republic National Commercial Services; Massachusetts Mutual Life Insurance Company and co-investors, and each of their respective successors and assigns; and Barings LLC and its successors and assigns; that:

This is to certify that this map and the survey on which it was based were made in accordance with the 2016 Minimum Standard Detail Requirements for ALTA/NSPS Land Title Surveys, jointly established and adopted by ALTA and NSPS, and includes items 1(existing), 2, 3, 4, 6(b), 7(a),(b),&(c), 8, 9, 11, 13, 14, 16, 17, 18, and 20 of Table A thereof.

The fieldwork was completed on November 8, 2018.

ALTA/NSPS LAND TITLE SURVEY
 DEPICTING
HIGHGROVE CONDOMINIUM
 #70 FOREST STREET, STAMFORD, CT
 PREPARED FOR
70 FOREST STREET LLC and 251 GREYROCK PLACE LLC


Scale: 1"=20'
 Drawn By: RLR Checked By: Date: 11/12/2018

To my knowledge and belief this map is substantially correct as noted hereon

Raymond L. Redniss
 RAYMOND L. REDNISS CT. L.S. #10046
 3 December 2018
 DATE


This document and copies thereof are valid only if they bear the signature and embossed seal of the designated licensed professional. Unauthorized alterations render any declaration herein null & void.

Sheet No: **ALTA**
 22 First Street | Stamford, CT 06905
 Tel: 203.327.0500 | Fax: 203.357.1118
 www.rednissandmead.com
 Comm. No: 6258E-1



LEGEND

- PROPERTY LINE
- CURB LINE
- EDGE OF PAVEMENT OR WALK
- OVERHEAD WIRES
- WATER VALVE
- WATER METER
- GAS VALVE
- GAS METER
- FIRE HYDRANT
- CATCH BASIN
- STORM SEWER MANHOLE
- SEWER MANHOLE
- ELECTRIC UTILITY MANHOLE
- STAND PIPE
- HANDICAP RAMP
- UTILITY POLE
- MONITORING WELL




BLOCK: 203 ZONE: P-D

STAMFORD, CT SCALE: 1"=800'

ORIENTATION

GENERAL DEVELOPMENT PLAN NOTES:

1. THIS DRAWING IS INTENDED ONLY TO DEPICT THE GENERAL DEVELOPMENT PLAN IN CONJUNCTION WITH ZONING BOARD SUBMISSION.
2. INFORMATION ON EXISTING CONDITIONS WAS TAKEN FROM A MAP ENTITLED "PROPERTY AND TOPOGRAPHIC SURVEY DEPICTING 251 GREYROCK PLACE STAMFORD, CT PREPARED FOR 70 FOREST STREET LLC" DATED 10/07/2020, AND PREPARED BY REDNISS & MEAD, INC.. ELEVATIONS DEPICTED OR LABELED HEREON ARE BASED ON NAVD-88.
3. REFER TO PLANS PREPARED BY BEINFELD ARCHITECTURE FOR INFORMATION AND DESIGN OF THE PROPOSED BUILDING. THIS DRAWING DEPICTS INFORMATION CORRESPONDING TO THE LATEST ARCHITECTURAL PLAN SET RECEIVED ON 05/09/2023.
4. PROPERTIES LIE IN THE P-D AND R-H ZONES.
5. ALL CONSTRUCTION SHALL COMPLY WITH CITY OF STAMFORD REQUIREMENTS, THE STATE OF CONNECTICUT BASIC BUILDING CODE, AMERICANS WITH DISABILITIES ACT (ADA), THE CONNECTICUT GUIDELINES FOR SOIL AND EROSION AND SEDIMENT CONTROL, OSHA, CT DOT FORM 818 (LATEST EDITION).



1	5/9/2023	ZONING BOARD SUBMISSION
No.	Date	Revision

GENERAL DEVELOPMENT PLAN
 DEPICTING
70 FOREST ST & 251 GREYROCK PL
 STAMFORD, CT
 PREPARED FOR
70 FOREST STREET LLC

SCALE: 0 20 40
 1"=20'

DRAWN BY: MJL CHECKED BY: BDH

REDNISS & MEAD
 PROFESSIONAL ENGINEER
 ROBERT D. HOLZWARTH CT, P.E. 27812
 DATE: **May 9, 2023**


LAND SURVEYING
 CIVIL ENGINEERING
 PLANNING & ZONING CONSULTING
 PERMITTING

22 First Street | Stamford, CT 06905
 Tel: 203.327.0500 | Fax: 203.357.1118
 www.rednissandmead.com

SHEET No:
GDP

Comm. No.: 6258

5/9/2023 1:00 PM C:\Users\mjul\OneDrive\Documents\2023\05\09\70Forest\Garage\GDP Master Parking.dwg



GENERAL NOTES:

- 1. These drawings are intended to depict the design of site grading, drainage, and sediment & erosion controls. No construction may begin prior to obtaining all necessary permits and approvals.
2. Information on existing conditions was taken from a map entitled 'Property and Topographic Survey Depicting 251 Greyrock Place Stamford, CT prepared for 70 Forest Street LLC' dated 10/07/2020, and prepared by Rednis & Mead, Inc. Elevations depicted or labeled hereon are based on NAVD-88.
3. All construction shall comply with the City of Stamford regulations, the State of Connecticut Basic Building Code, Americans with Disabilities Act (ADA), the Connecticut Guidelines for Soil Erosion and Sediment Control, OSHA, and CT DOT Form 818 latest edition.
4. The property shall be served by public water and sewer.
5. Property lies in Zone RH.
6. Refer to plans prepared by Beinfield Architecture PC for information and design of the proposed building including grading within the proposed garage.
7. Refer to plans prepared by others for information regarding surface treatment, planting improvements and lighting on and off-site and associated details.
8. Refer to plans prepared by others for information pertaining to the waterproofing of the proposed structures.
9. Sidewalk closure along Greyrock Place may require approval from the City Traffic Advisory Committee. Easements for public sidewalks on private property shall be established in favor of the City of Stamford and/or the State of Connecticut prior to request of a Certificate of Occupancy.
10. Contractor shall supply complete shop drawings including but not limited to manufacturer's product data sheets to Rednis & Mead, Inc. for all construction materials used in conjunction with these drawings. Contractor shall allow a 5 day review period and shall incorporate into construction schedule.
11. Information on existing utilities has been compiled from various sources including utility company records, municipal record maps and field survey and is not guaranteed correct or complete. The contractor is solely responsible for determining actual locations and elevations of all utilities including services.
12. Prior to any excavation the Contractor and/or Applicant, in accordance with Public Act 77-350, shall be required to contact 'Call Before You Dig' at 1-800-922-4455 for mark-out of underground utilities. Dig test pits (at utility crossings) to check actual clearances with new utilities prior to construction. If conflicts are found the contractor shall notify the engineer, at which time the sewer in question shall be redesigned. If such redesign is not possible, the existing pipes or utilities shall be relocated to avoid the conflict. Such relocation shall be done with knowledge of and in accordance with the owner of the utility. Any costs incurred by the contractor as a result of failure to contact proper authorities shall be born by the contractor.
13. It shall be the responsibility of the contractor to provide any excavation safeguards, necessary barricades, flagmen, etc., for traffic control and site safety. All work shall be done in accordance with OSHA requirements. The contractor shall be responsible for compliance with OSHA requirements. Contractor shall also be responsible to provide signage and access for pedestrians. This may include routing pedestrians at cross walks to adjacent sidewalks.
14. All construction shall comply with the City of Stamford requirements, the State of Connecticut Basic Building Code, Americans with Disabilities Act (ADA), the Connecticut Guidelines for Soil Erosion and Sediment Control, OSHA, CT DOT Form 818, latest edition.
15. When preparing the existing site for the proposed development, all materials removed shall be disposed of in conformance with all governing agencies.
16. Remove stumps and brush from site, or chip and use during landscaping. Do not bury stumps on site.
17. Prior to issuance of a certificate of occupancy, certification will be required by a Registered Professional Engineer to the satisfaction of the Engineering Division, that construction is in accordance with the approved plans.
18. The Engineering Division of the Department of Public Works and the inspecting engineer shall be notified by the contractor three (3) days prior to the commencement of each phase of construction.
19. The work shall be done in conformance with the plans unless changes have been approved in writing by the design engineer prior to the work being done.
20. Refer to information by others with respect to any environmentally sensitive materials such as oil tanks, asbestos, contaminated soil and/or groundwater, etc.
21. Contractor shall abandon/remove in accordance to applicable regulations.
22. Contractor is responsible for coordinating with a licensed surveyor to prepare an 'as-built' plan. Contractor is responsible to coordinate with site engineer 48 hours prior to any inspections.
23. Contractor shall legally dispose of all removed material away from the site.
24. Location of all utilities are shown diagrammatically, may be incomplete and not guaranteed to be correct. Contractor shall verify locations of all utilities prior to the start of demolition. Any damage to existing utilities to remain by this work shall be repaired by the contractor.
25. Contractor shall contact and coordinate with appropriate utility company prior to abandoning or removing utilities.
26. Prior to commencement of work, contractor shall secure all permits required from any utility company or other government agencies having jurisdiction over the work.
27. Care should be taken in all excavations due to possible existence of unrecorded utility lines.
28. Contractor is responsible for any damage due to their contract operations.
29. Contractor shall protect and sustain in normal service all existing utilities and roadways that are to remain.
30. Contractor shall maintain proper signs, barricades, and fences to properly protect the work equipment, persons and property from damage.
31. All items requiring removal shall be removed to full depth to include base material and footings or foundations as applicable, and legally disposed of off-site by contractor.
PLANTING:
32. Disturbed areas shall be top soiled, seeded with grass and mulched in a manner conforming to the recommendations of the 'Guidelines for Soil Erosion and Sediment Control' published by The Connecticut Council On Soil and Water Conservation, May 2002. Refer to plans by others for permanent landscaping.

EARTHWORK & GRADING:

- 33. Sheet SE-1 represents grading plan in conjunction with the development.
34. The contractor shall follow details within these plans for all asphalt paving requirements. The contractor shall pave between the curb and limit of pavement such that no bird baths are created.
35. The contractor is responsible to inform the site engineer of any grading situation which will result in a curb or sidewalk placed higher or lower than existing surroundings. The contractor at no cost to the owner may need to replace said sidewalks or curbs if installed to cause nuisance to existing surroundings.
36. All walkways shall be graded at a maximum of 5% longitudinal slope and 2% cross slope.
37. Grade away from building walls at 2% minimum (typical).
38. Earth slopes shall be no steeper than 2:1 (horz:vert.).
39. The contractor shall follow the proposed grading plan shown on this plan. If conflicts exist between the architect/landscaping grading plans, the site engineer shall review and approve any deviations from this grading plan.
40. After the areas to be topsoiled have been brought to grade, the subgrade shall be loosened by scarifying to a depth of at least 2" to ensure bonding of the topsoil and subsoil.
41. Topsoil shall be friable and loamy with high organic content. It shall be free of debris, rocks larger than 2" and roots. Topsoil shall have at least 1.5 percent by weight of fine textured stable organic material and no greater than 6 percent. Topsoil shall not have less than 20% fine textured material (passing the No. 200 sieve) and not more than 15% clay. pH range shall be 6.0-7.5 and soluble salts shall not exceed 500ppm.
42. Fill or topsoil shall not be placed nor compacted while in a frozen or muddy condition or while subgrade is frozen.
43. All excess materials shall be removed from the site and disposed of legally.
44. Special attention of the contractor is called to the required compaction of backfill specified on these drawings and in the Geotechnical Report. The requirement for compaction will be strictly enforced.
45. During the excavation, it is anticipated that existing utilities and sewers may be exposed. The contractor shall provide protection and support of these facilities and repair any damage caused by the work in a manner satisfactory to the owner. The condition of the existing facilities shall be observed by the owner's representative who shall determine if the facilities shall be replaced. Replacement of the facilities shall be done in a manner satisfactory to the owner and in compliance with applicable Codes.
46. Dig test pits at utility and sewer crossings to check actual clearances with these facilities prior to construction. Dig test pits at the connection points to existing sanitary sewer pipes to confirm that the elevation of the proposed gravity sewer is appropriate. If conflicts are found the contractor shall notify the engineer at which time the sewer in question shall be redesigned. If such redesign is not possible, the existing pipes or utilities shall be relocated to avoid conflict.
47. General fill beyond paved areas shall be free of brush rubbish, stumps and stones larger than 8". Fill shall be placed in compacted layers not to exceed 8" in thickness. The dry density after compaction shall not be less than 95% of the Standard Proctor Test and in accordance with the requirements of ASTM D698. After compacting, the fill shall be 4" below the required grade as shown on plans. Contractor shall follow geotechnical guidelines including fill material.
48. Subgrade and fill shall be uniformly compacted by the use of equipment manufactured for that purpose. Rollers shall deliver a ground pressure of not less than 300 pounds per linear inch of contact width and weigh not less than 10 tons. Vibratory units shall have a static weight of not less than 4 tons. The amount of compactive effort shall be as directed by the Engineer, but in no case shall be less than 4 complete passes of the compacting equipment being used.
49. After the areas to be topsoiled have been brought to grade, the subgrade shall be loosened by scarifying to a depth of at least 2" to ensure bonding of the topsoil and subsoil.
50. Special attention of the contractor is called to the required compaction of backfill specified on these drawings.
51. All existing and proposed catch basins, manhole rims and utility facilities shall be raised or lowered to be flush with finished grade.
52. Thicknesses of all layers shown are after compaction. Compact all layers to 95% maximum dry density per ASTM D 1557 (Modified Proctor Method).
53. A preconstruction meeting shall be held with the Owner, Architect and Engineer to review the scope of site construction. Contractor shall be responsible to coordinate the preconstruction meeting.
54. Disturbed areas shall be top soiled, seeded with grass and mulched in a manner conforming to the recommendations of the 'Guidelines for Soil and Sediment Control' published by The Connecticut Council On Soil and Water Conservation, unless other plantings are specified on other pertinent drawings.
55. Geotechnical engineer to provide field monitoring services, as required, for the foundation and earthwork phases of construction and to make on site design modifications in the event unexpected conditions are encountered.
PAVEMENT NOTES:
56. Areas of asphalt pavement that are disturbed by the construction of this project shall be replaced in accordance with the asphalt pavement repair detail. The finished grade of asphalt paving shall blend to existing grade and the edge of the concrete pavement smoothly with no slopes exceeding 4%.
57. Existing features such as but not limited to walks, curbs, and pavement damaged by construction activities shall be repaired at not additional cost to the owner.
58. Saw cut perimeter of area to be excavated. Saw cut shall be straight and vertical.
59. Contractor is responsible to place the hot-mix asphalt mix as required in the drawings, details and the applicable Section of the CT DOT FORM 818, latest edition.
60. Compaction shall be constructed as specified in the CT DOT FORM 818, 4.06 specification section, the drawings and the details. Testing lab shall verify compaction of each course of pavement as directed by the Site Engineer.
61. A site plan shall be used to delineate low or ponding areas and this plan shall be signed by the Owner's Representative and the Contractor, after all acceptable repairs are accomplished.
62. Finished paving shall be free of 'bird baths' and be smooth at the slopes specified on the plans.
63. Finished grade shall be within 1/8 inch of that noted on the drawings.
64. The pavement shall be protected from vehicular traffic of any kind with the use of barricades, etc. for a minimum period of 24 hours after final rolling. Maintain and protect asphalt surface from scrapes, scars, spills, hydraulic leaks, and any other construction damage for the remainder of construction until Owner's Representative acceptance. Contractor is responsible for cleaning, repairing, seal coating, patching, and restriping as necessary to obtain Owner's Representative's final approval/acceptance. Seal Coat Product Type: Guardtop/Jenitec NJ-52 by Neyra. All asphalt pavement shall be sealed with two coats of Guardtop/Jenitec with surface preparation and application to conform to manufacturer's recommendations. Thicknesses of all layers shown are after compaction. Compact all layers to 95 per ASTM D 1557 (Modified Proctor Method) as necessary to obtain Owner's Representative's final approval/acceptance.
65. Thicknesses of all layers shown are after compaction. Compact all layers to 95 per ASTM D 1557 (Modified Proctor Method).

- GENERAL NOTES:
1. REFER TO SHEET SE-3 FOR ADDITIONAL NOTES AND DETAILS.
2. REFER TO PROJECT ARCHITECT OR OTHERS FOR DESIGN INFORMATION INCLUDING ALL BUILDINGS, STEPS, STAIRS, AND RAMPS (INCLUDING APPROPRIATE RAILS). RAMPS SHALL NOT EXCEED 1:12 SLOPE FOR MORE THAN 30 FEET AND SHALL HAVE A LANDING GRADED AT MAXIMUM OF 2% IN ALL DIRECTIONS FOR A 5 FOOT LONG AREA.
3. REFER TO PLANS PREPARED BY ARCHITECT AND / OR LANDSCAPE ARCHITECT FOR GRADING INFORMATION WITH RESPECT TO INTERIOR PARKING GARAGES, ROOF DECK. THIS PLAN DEPICTS GRADING EXTERIOR OF THE BUILDING FOOTPRINT.
4. THE CONTRACTOR SHALL FOLLOW DETAILS WITHIN THESE PLANS FOR ALL ASPHALT PAVING REQUIREMENTS. THE CONTRACTOR SHALL PAVE BETWEEN THE CURB AND LIMIT OF PAVEMENT SUCH THAT NO BIRD BATHS ARE CREATED.
5. ALL SITE WALKWAYS SHALL NOT EXCEED 5% LONGITUDINAL SLOPE AND 2% CROSS SLOPE.
6. THE CONTRACTOR SHALL FOLLOW THE PROPOSED GRADING PLAN SHOWN ON THIS PLAN. IF CONFLICTS EXIST, THE SITE ENGINEER SHALL REVIEW AND APPROVE ANY DEVIATIONS FROM THIS GRADING PLAN.
7. ADJUST EXISTING AND PROPOSED UTILITIES, MANHOLE COVERS, AND GRATES AS REQUIRED TO BE FLUSH WITH FINISHED GRADE IN ACCORDANCE WITH THE UTILITY COMPANY STANDARDS. THE CONTRACTOR IS RESPONSIBLE FOR COORDINATING SUCH WORK WITH THE UTILITY COMPANY.
8. REFER TO PLANS PREPARED BY THE PLUMBING ENGINEER FOR THE STORM SYSTEM LAYOUT OF THE ROOF AND PARKING GARAGE AREAS.
9. REFER TO PLANS PREPARED BY PLUMBING ENGINEER FOR THE SANITARY SEWER SYSTEM LAYOUT. INTERIOR PARKING GARAGE WITH DRAINS MUST BE PIPED TO AN OIL GRIT SEPARATOR DESIGNED BY PLUMBING ENGINEER.
10. THE CONTRACTOR SHALL COORDINATE ALL LANE CLOSURES WITH THE CITY OF STAMFORD.

HIGH GROVE APARTMENTS
FIRST FLOOR PARKING = 14.9
SECOND FLOOR PARKING = 26.9
THIRD FLOOR PARKING = 35.4
FOURTH FLOOR RESIDENTIAL = 43.9
(BASED ON FIELD VERIFICATION)

Table with columns: No., Date, Revision. Includes site title 'SITE DEVELOPMENT PLAN DEPICTING 70 FOREST ST & 251 GREYROCK PL STAMFORD, CT PREPARED FOR 70 FOREST STREET LLC', scale bar (1"=10'), drawing and check by names (MJJ, BDH), date (May 9, 2023), and sheet title 'SE-1'.

CONNECTICUT COORDINATE SYSTEM OF 1987

5/9/2023 1:04 PM H:\C:\cadd\2023\0509\20230509\Greyrock_Garage\251 Master Parking.dwg

NO CONSTRUCTION VEHICLES SHALL MOBILIZE, PARK, OR UNLOAD FROM GREYROCK PLACE WITHOUT OBTAINING CITY OF STAMFORD TT&P APPROVAL. CONTRACTOR SHALL COORDINATE SIDEWALK CLOSURES WITH CITY OF STAMFORD TT&P PRIOR TO CLOSING SIDEWALKS. APPROPRIATE SIGNAGE SHALL BE POSTED TO REROUTE PEDESTRIANS.

GREYROCK PLACE

STREET SHALL BE SWEEP AT LEAST ONCE DAILY OR MORE OFTEN AS NECESSARY TO REMOVE ANY SILT TRACKED OFFSITE.

NOTE: A STREET OBSTRUCTION PERMIT IS REQUIRED FOR ANY CLOSURE OF SIDEWALK WITHIN THE CITY OF STAMFORD RIGHT-OF-WAY. THE TIMELINE OF THE CLOSURE SHALL BE PROVIDED AT THE TIME A PERMIT IS REQUESTED; EXPECTED SIDEWALK CLOSURE IS 24 MONTHS FROM THE BEGINNING OF CONSTRUCTION. NO STAGING OF CONSTRUCTION EQUIPMENT/DELIVERIES SHALL OCCUR WITHOUT A STREET OBSTRUCTION PERMIT.

SEDIMENT & EROSION CONTROL NOTES:

The purpose of the Sediment and Erosion Control Plan, details and notes is to outline a program that minimizes soil erosion during construction. The primary policies of this program are:

- Trapping particles at source by promptly stabilizing disturbed areas;
- Avoid concentration of water;
- Avoid contamination of existing storm drains;
- Maintenance (weekly maintenance and after storm events) of controls to ensure they are functioning properly.

NOTES:

- Sheet SE-2 is intended to describe the soil sediment and erosion control treatment of this site only. For other details with respect to construction, see appropriate drawings.
- All sediment and erosion controls shall be done in conformance with the "Guidelines for Soil Erosion and Sediment Control" dated May 2002 prepared by The Connecticut Council On Soil and Water Conservation.
- The contractor is assigned the responsibility for implementing this erosion and sediment control plan. This responsibility includes the installation and maintenance of control measures, informing all parties engaged on the construction site of the requirements and objectives of the plan notifying the City of Stamford of any transfer of this responsibility that construction is to begin three day prior to commencing work.
- Temporary sediment control measures and tree protection must be installed in accordance with drawings and manufacturer recommendations prior to work in any upland areas.
- No construction or construction equipment or storage of materials will be allowed on the downhill side of the site fence or within fenced off areas, except during construction of the proposed facilities shown beyond the fences.
- If dewatering is required during construction, all dewatering pumping must have sediment and erosion control provisions to maintain clear water discharge (not muddy). Such provisions shall be approved by the site engineer or governing agencies. All pump discharge from dewatering shall be clear at the point where it flows off the property. Each dewatering pump intake shall be placed in a clean, perforated 55 gallon drum, surrounded by at least 18 inches of 3/4" crushed stone on all sides. The entire surface of the drum (sides, top and bottom) shall be protected from silt water entering the drum. If trench dewatering is required during construction, pump discharges shall pass through a sediment filter. If muddy and/or silty discharge is observed the site engineer may require a silt sack to be installed at the end of the pump discharge line.
- If excessive groundwater is encountered during construction, the site and/or Geotechnical Engineer may require that the pump discharge shall pass through a settlement basin of adequate size to further clarify the discharge prior to entering the storm drainage system. Such basin could be made from an excavated pit or by using a sealed trash dumpster. The basin would have a piped overflow leading into the storm drainage system. Alternative methods may be used, such as well points, other types of pump intake filters and settlement basins, if approved by the inspecting engineer and governing agencies. All pump discharge from dewatering shall be clear at the point where it flows off the property.
- Tracking pads shall be installed at start of construction and maintained in an effective condition throughout the duration of construction. Pads consist of 2" - 4" crushed stone, 6" minimum thickness (Formerly Guernsey) or 2" minimum thickness (Washington Boulevard) and extend the width of the construction access. The length of the access shall be sufficient to prevent dirt from being tracked onto off site roads (minimum length of 50').
- The location of each stockpile will vary throughout the construction period. Excavated silt and earth stockpiles shall be stored on site. Silt fence shall be placed at the base of the stockpile to prevent sediment from leaving the site and to protect storm drains and watercourses.
- Silt fence shall be Mirafi 100X or equivalent. Install silt fence according to manufacturer's instruction, particularly, bury lower edge of fabric into ground.
- Land disturbance shall be kept to a minimum. All disturbed area shall be planted in where permanent plantings are called for as soon as practicable. Seed and mulch disturbed areas with grass seed where permanent plantings are not called for, as soon as practicable. Prepare seedbed (4" thick minimum) with topsoil. Seed, rake, roll, water and mulch areas according to mixes below. Water as often as necessary (up to 3 times per day) to establish cover. Mulch seeded areas at 1 to 2 tons/acre with salt hay. Maintain mulch and watering until grass is 3" high with 85% cover. Reseed or overseed if necessary.

Temporary Seed Mix:	
Perennial Ryegrass	40 lbs./ac.
Permanent Lawns:	
Kentucky Bluegrass	20 lbs./ac.
Creeping Red Fescue	20 lbs./ac.
Perennial Ryegrass	5 lbs./ac.
	(1 lb./1000 sf)
Optimum Seeding Dates:	
April 15 through June 15	45 lbs./ac.
August 15 through October 1	(1 lb./1000 sf)
- If disturbed areas can not be seeded immediately due to the time of year, mulch areas until seeding can occur; remove mulch and seed and remulch when season permits.
- Haybales shall be new and are to be replaced whenever their condition deteriorates beyond reasonable usability.
- Pavement and curbing should be placed as soon as possible after drainage is installed.
- Loaded trucks shall be covered as required to keep down dust.
- Construction access to the site shall be from Greyrock Place.
- Affected portions of off site roads and sidewalks must be swept clean when required to clean tracked sediment and/or prevent safety hazards or at least once a week during construction and as directed by the Site Engineer.
- Periodically clean silt from affected storm sewer systems and including pipes and inlets. Use silt during final landscaping or dispose off-site legally.
- Dust control to be achieved with watering down disturbed areas as required. After each storm event or once weekly, all sediment and erosion controls shall be inspected. Any corrective actions to mitigate environmental concerns shall be ordered by the site engineer.
- Additional sediment and erosion control measures may be installed during the construction period if found necessary by the inspecting engineer or any Governing Agency.
- All permanent and temporary sediment control devices will be maintained in effective condition throughout the construction period until upland disturbed areas are thoroughly stabilized. Upon completion of work and stabilization of all upland areas, all temporary sediment control devices and tree protection should be removed from the site and any silt disposed of legally.

CONSTRUCTION PHASING:

The following description of construction phasing is intended to demonstrate a feasible sequence of construction. The actual sequence may vary due to field conditions if approved by the inspecting engineer. Refer to the Construction & Logistics Narrative prepared by Lessard Design, Inc. for additional information.

PHASE I: PREPARATION

- The inspecting engineer shall meet with the contractor and owner to review the Sediment and Erosion Control (S&E) Plan and discuss any modifications to construction sequence or S&E Plan.
- Establish staging area with trailers and temporary utilities.
- Install tracking pads for construction access.
- Site removals, cut trees to be removed, and grub areas to be cleared.

PHASE 2: CONSTRUCTION


- General earthwork, Excavate and install building foundation. Install construction dewatering and temporary filtering system at the appropriate stage in excavation.
- Install sediment and erosion controls associated with drainage structures.
- Construct the building and backfill the foundation as soon as possible.
- Install blue roof system and any other utility connections as depicted on the plans prepared by the project MEP.
- Final grading and paving.
- Seed & mulch disturbed areas and install landscaping as soon as possible.
- Maintain all sediment and erosion controls in an effective condition during the construction period.

PHASE 3: CLEAN UP AFTER ALL AREAS ARE STABILIZED


- Clean effected portion of on & off site roads and driveways.
- Remove accumulated silt and debris from catch basin sumps & pipes of affected on & off storm drains.
- Remove accumulated sediment from effected areas and dispose of legally.
- Remove temporary sediment and erosion controls.
- Make any necessary repairs to permanent sediment and erosion controls such as plantings.

APPLICANT SHALL MAKE BEST EFFORTS TO KEEP THE PROPERTY IN GOOD CONDITION UP UNTIL AND DURING THE CONSTRUCTION PROCESS. EXISTING LAWN AREAS SHALL BE MOWED AND MAINTAINED AND CONSTRUCTION DEBRIS SHALL BE KEPT TO A REASONABLE MINIMUM.


HIGH GROVE APARTMENTS
 FIRST FLOOR PARKING = 14.9
 SECOND FLOOR PARKING = 26.9
 THIRD FLOOR PARKING = 35.4
 FOURTH FLOOR RESIDENTIAL = 43.9
 (BASED ON FIELD VERIFICATION)




TRACKING PAD DETAIL
 STABILIZED CONSTRUCTION ENTRANCE
 N.T.S.



FABRIC & POST SILTATION BARRIER
 (SILT FENCE)
 N.T.S.



TREE PROTECTION
 (SHOWING ACCEPTABLE TYPES OF FENCING)
 N.T.S.



DEWATERING PUMP INTAKE DETAIL
 N.T.S.

1	05/09/2023	ZONING BOARD SUBMISSION
No.	Date	Revision
SEDIMENT AND EROSION CONTROL PLAN		
DEPICTING 70 FOREST ST & 251 GREYROCK PL STAMFORD, CT PREPARED FOR 70 FOREST STREET LLC		
SCALE: 0 10 20 1"=10'	DRAWN BY: MJL CHECKED BY: BDH	
	DATE: May 9, 2023	
LAND SURVEYING CIVIL ENGINEERING PLANNING & ZONING CONSULTING PERMITTING	SHEET No: SE-2	
22 First Street Stamford, CT 06905 Tel: 203.327.0500 Fax: 203.357.1118 www.rednandm.com	Comm. No. 6258	


CONNECTICUT COORDINATE SYSTEM OF 1987

STANDARD CITY OF STAMFORD NOTES:

- 150. A Street Opening Permit is required for all work within the City of Stamford Right-of-Way.
- 151. All work within the City of Stamford Right-of-Way shall be constructed to City of Stamford requirements, the State of Connecticut Basic Building Code and the Connecticut Guidelines for Soil Erosion and Sedimentation Control.
- 152. The Engineering Bureau of the City of Stamford shall be notified three days prior to any commencement of construction work within the City of Stamford Right-of-Way.
- 153. Trees within the City of Stamford Right-of-Way to be removed shall be posted in accordance with the Tree Ordinance.
- 154. Prior to any excavation the Contractor and/or Applicant/Owner, in accordance with Public Act 77-350, shall be required to contact "Call Before You Dig" at 1-800-922-4455 for mark out of underground utilities.
- 155. All retaining walls three (3) feet or higher measured from finished grade at the bottom of the wall to finished grade at the top of the wall and retaining walls supporting a surcharge or imposing Class I, II, or III-A liquids are required to have a Building Permit. Retaining walls shall be designed and inspected during construction by a Professional Engineer licensed in the State of Connecticut. Prior to the issuance of a Certificate of Occupancy, retaining walls shall be certified by a Professional Engineer licensed in the State of Connecticut.
- 156. Certification will be required by a professional engineer licensed in the State of Connecticut that work has been completed in compliance with the approved drawings.
- 157. A Final Improvement Location Survey will be required by a professional land surveyor licensed in the State of Connecticut.
- 158. Connection to a city-owned storm sewer shall require the Waiver Covering Storm Connection to be filed with the City of Stamford Engineering Bureau.
- 159. Granite block or other decorative stone or brick, depressed curb, driveway apron, and curbing within the City of Stamford Right-of-Way shall require the Waiver Covering Granite Block Depressed Curb and Driveway Aprons to be filed with the City of Stamford Engineering Bureau.
- 160. Sediment and erosion controls shall be maintained and repaired as necessary throughout construction until the site is stabilized.
- 161. To obtain a Certificate of Occupancy, submittal must include all items outlined in the Checklist for Certificate of Occupancy (Appendix D of the City of Stamford Drainage Manual).



Best Management Practices	Action/Activity	Frequency
Outdoor Litter and Waste Management	<ul style="list-style-type: none"> • Inspect grounds for residual litter and properly remove. • Inspect grounds for spilled liquids, and properly contain and clean-up. • Ensure FOG recycling and/or, non-recycling units; and, dumpster are closed at all times and properly maintained. 	Monthly
Sweeping Impervious Areas	Inspect impervious areas; sweep and remove sediment	Monthly; as needed with signs of sediment build-up
Roof Run-off Management	Using appropriate safety measures/procedures, inspect roof areas and drainage connections; make necessary repairs; and, properly remove bird fecal matter, sediment, litter and/or debris.	April & October
Winter Sanding/De-icing Agents	Properly calibrate application equipment to ensure uniform coverage; stockpiling materials onsite require proper cover and containment.	Each use
Snow Removal	Snow removal shall occur as necessary to maintain safe passage.	As necessary
Maintaining Street Trees and Plantings	<ul style="list-style-type: none"> • Inspect and replace damaged, dead and diseased plant material. Plant shapes and branching patterns should remain natural looking. Maintain plant size according to the presence of structure limits, i.e., sidewalks, buildings, and/or plant maturity size. • Remove fallen plant biomass materials, i.e. leaves, twigs, branches, etc. 	Once per year As needed

STORM SYSTEM MAINTENANCE
N.T.S.





- NOTES:**
- REFER TO PLANS PREPARED BY OTHERS FOR ALL ON-SITE PAVEMENT/PAVER DESIGNS AND DETAILS.
 - PRIOR TO ANY FILL PLACEMENT, ALL EXPOSED SUBGRADES SHALL BE COMPACTED WITH AT LEAST FIVE PASSES OF A 1-TON WALK-BEHIND ROLLER.
 - ALL IMPORTED FILL SHALL CONSIST OF WELL-GRADED SAND AND GRAVEL HAVING NOT MORE THAN 10% BY DRY WEIGHT PASSING THE NO. 200 SIEVE AND SHALL BE CERTIFIED CLEAN MATERIAL PER THE REQUIREMENTS OF THE STATE OF CONNECTICUT. THE MAXIMUM PARTICLE SIZE SHALL BE 4 INCHES.
 - CONTROLLED FILL SHALL BE PLACED IN UNIFORM 12-INCH-THICK LOOSE LIFTS AND COMPACTED TO AT LEAST 95% OF ITS MAXIMUM DRY UNIT WEIGHT AS SPECIFIED BY ASTM D1557-93. IN RESTRICTED AREAS WHERE ONLY HAND-OPERATED COMPACTORS CAN BE USED, THE MAXIMUM LIFT THICKNESS SHOULD BE LIMITED TO 8-INCHES.
 - SITE CIVIL ENGINEER SHALL TAKE SAMPLES TO OBTAIN SIEVE ANALYSIS AND CONFIRM MATERIAL MEETS SPECIFICATION. CONTRACTOR SHALL ALLOW 5 DAYS FOR MATERIAL TESTING. ANY CORRECTIVE MEASURES SHALL BE DONE AT NO COST TO THE OWNER.
 - A REPUTABLE TESTING LAB SHALL PERFORM COMPACTION TESTING AS REQUIRED BY THE SITE ENGINEER PRIOR TO THE PLACEMENT OF PAVEMENT. COMPACTION TESTING SHALL OCCUR AT THE SUBBASE, BASE AND EACH LAYER OF PAVEMENT.
 - ALL THICKNESSES SHOWN ARE AFTER COMPACTION.
 - EXISTING SUB-BASE MUST BE PROOF-ROLLED WITH HEAVY VIBRATORY ROLLER UNDER THE OBSERVATION OF A GEOTECHNICAL ENGINEER. ANY EXISTING FILL THAT PUMPS OR HEAVES UNDER THE INFLUENCE OF THE ROLLER MUST BE REMOVED AND REPLACED WITH CONTROLLED FILL.
 - SPECIAL ATTENTION OF THE CONTRACTOR IS CALLED TO FOR THE REMOVAL OF UNSUITABLE MATERIAL. REPLACEMENT FILL MATERIAL AND COMPACTION SHALL FOLLOW GEOTECHNICAL ENGINEERING REQUIREMENTS. THESE REQUIREMENTS WILL BE STRICTLY ENFORCED.
 - REFER TO PROJECT WRITTEN SPECIFICATIONS FOR FURTHER INFORMATION.


ASPHALT PAVEMENT DETAIL
N.T.S.




CONCRETE SIDEWALK JOINT DETAILS
N.T.S.



REINFORCED CONCRETE DRIVEWAY ENTRANCE
N.T.S.




CONCRETE CURB
N.T.S.



CONCRETE SIDEWALK
N.T.S.


- NOTES:**
- CONCRETE TO BE CLASS "F" CONFORMING TO CT DOT FORM 818 SECTION M.03.02.
 - GRAVEL BASE SHALL CONFORM TO GRADATION A AS DEFINED IN ConnDOT FORM 818 SECTION M. 02.01.
 - INSTALL AS PER THE AMERICAN CONCRETE INSTITUTE CODE.
 - THE AREA SHALL BE COMPACTED TO AT LEAST 95% OF THE DRY DENSITY ACHIEVED BY ASTM D1557.
 - CONTRACTION JOINTS PLACED IN A SQUARE PATTERN AS PER DETAIL.
 - DRAW A SOFT BRISTLED BROOM ACROSS FLOAT-FINISHED CONCRETE SURFACE PERPENDICULAR TO LINE OF TRAFFIC TO PROVIDE A UNIFORM, FINE LINE TEXTURE.



CONN. D.O.T. SERIES R1-1
31-0552


(30" STOP SIGN)

STOP SIGN
N.T.S.




NOTE:
ALL PAINT SHALL CONFORM TO CT DOT FORM 818, ARTICLE M.07.17.

STOP BAR STRIPING
N.T.S.




TYPICAL PEDESTAL PAVER DETAILS
SCALE: 1/2" = 1'-0"



TYPICAL SUB-SURFACE DRAIN DETAIL
SCALE: 1/2" = 1'-0"

ZURN ZI05 CONTROL-FLO ROOF DRAIN (BLUE ROOF DETAILS)
N.T.S.




TYPICAL PLANTING DETAIL
SCALE: 1/2" = 1'-0"

1	05/09/2023	ZONING BOARD SUBMISSION
No.	Date	Revision
NOTES & DETAILS DEPICTING 70 FOREST ST & 251 GREYROCK PL STAMFORD, CT PREPARED FOR 70 FOREST STREET LLC		
SCALE:	N.T.S.	
DRAWN BY: MJL	CHECKED BY: BDH	
DATE: May 9, 2023 DATE: _____		
LAND SURVEYING CIVIL ENGINEERING PLANNING & ZONING CONSULTING PERMITTING	SHEET No: SE-3	
22 First Street Stamford, CT 06905 Tel: 203.327.0500 Fax: 203.357.1118 www.rednmead.com		
Comm. No.: 6258		

HIGHGROVE PARKING

BEINFELD ARCHITECTURE

05/09/2023



1 00 Basement
1/8" = 1'-0"

ZONE
RH

HEIGHT ALLOWED
< 3 STORES/35'
> 5 STORIES/75'

LOT AREA
2,985 SF

HEIGHT PROVIDED
18' FROM AVG GRADE

PARKING TOTAL

GARAGE	12	3,310 sf
LEVEL-1	8	3,310 sf
LEVEL-2	12	3,310 sf
TOTAL	32	9,930 sf

BEINFELD ARCHITECTURE
11 CHESTNUT STREET | SOUTH NORWALK CT | 203 838 5789

OWNER'S REPRESENTATIVE: BEINFELD ARCHITECTURE, 11 CHESTNUT STREET, SOUTH NORWALK, CT 06854. PROJECT NO. 251 GREY ROCK. DATE: 05/09/2023. SCALE: 1/8" = 1'-0". THIS DRAWING IS THE PROPERTY OF BEINFELD ARCHITECTURE AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF BEINFELD ARCHITECTURE. THE USER OF THIS DRAWING AGREES TO HOLD BEINFELD ARCHITECTURE HARMLESS FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, ARISING OUT OF OR RESULTING FROM THE USE OF THIS DRAWING. BEINFELD ARCHITECTURE IS NOT RESPONSIBLE FOR ANY ERRORS OR OMISSIONS IN THIS DRAWING. THE USER OF THIS DRAWING AGREES TO HOLD BEINFELD ARCHITECTURE HARMLESS FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, ARISING OUT OF OR RESULTING FROM THE USE OF THIS DRAWING.

Rev#	Description	Date
	REVISION SCHEDULE	

PROGRESS

SEAL

PROJECT
HIGHGROVE PARKING

ADDRESS
251 GREY ROCK PLACE

DWG TITLE
BASEMENT


JOB NO.
Project Number

DATE
05/09/2023

SCALE
1/8" = 1'-0"

DRAWN BY
Author

A1.00




1 01 Grade
1/8" = 1'-0"

Rev#	Description	Date
REVISION SCHEDULE		

PROGRESS

SEAL

PROJECT	HIGHGROVE PARKING
ADDRESS	251 GREYROCK PLACE
DWG TITLE	LEVEL 1
JOB NO.	Project Number
DATE	05/09/2023
SCALE	1/8" = 1'-0"
DRAWN BY	Author



BEINFELD ARCHITECTURE
11 CHESTNUT STREET | SOUTH NORWALK CT | 203 838 5789

OWNER'S USE ONLY
THIS DRAWING IS THE PROPERTY OF BEINFELD ARCHITECTURE AND IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED IN THE TITLE BLOCK. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF BEINFELD ARCHITECTURE. THE USER OF THIS DRAWING AGREES TO HOLD BEINFELD ARCHITECTURE HARMLESS FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES, AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, ARISING OUT OF OR RESULTING FROM THE USE OF THIS DRAWING. BEINFELD ARCHITECTURE DOES NOT WARRANT THE ACCURACY OF ANY INFORMATION PROVIDED IN THIS DRAWING.

Rev#	Description	Date
REVISION SCHEDULE		

PROGRESS

SEAL

PROJECT
HIGHGROVE PARKING

ADDRESS
251 GREYROCK PLACE

DWG TITLE
LEVEL 2


JOB NO. Project Number

DATE 05/09/2023

SCALE 1/8" = 1'-0"

DRAWN BY Author

A1.02




Rev#	Description	Date
	REVISION SCHEDULE	

PROGRESS

SEAL

PROJECT	HIGHGROVE PARKING
ADDRESS	251 GREY ROCK PLACE
DWG TITLE	BLDG ROOF
JOB NO.	Project Number
DATE	05/09/2023
SCALE	1/8" = 1'-0"
DRAWN BY	Author

A1.04




1 Section @ Condo Building
1/2" = 1'-0"

Rev#	Description	Date
	REVISION SCHEDULE	

PROGRESS
SEAL

PROJECT	HIGHGROVE PARKING
ADDRESS	251 GREY ROCK PLACE
DWG TITLE	Section @ Condo Building
JOB NO.	Project Number
DATE	03/02/22
SCALE	1/2" = 1'-0"
DRAWN BY	Author




1 Section 1
1/4" = 1'-0"

BEINFELD ARCHITECTURE
11 CHESTNUT STREET | SOUTH NORWALK CT | 203 838 5789

OWNER'S USE ONLY
THIS DRAWING IS THE PROPERTY OF BEINFELD ARCHITECTURE AND SHALL REMAIN THE PROPERTY OF BEINFELD ARCHITECTURE. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. ANY REUSE OR MODIFICATION OF THIS DRAWING WITHOUT THE WRITTEN CONSENT OF BEINFELD ARCHITECTURE IS STRICTLY PROHIBITED. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY ERRORS OR OMISSIONS IN THIS DRAWING. THE USER OF THIS DRAWING SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND REGULATORY APPROVALS. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY CONSTRUCTION COSTS OR SCHEDULE DELAYS. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY DAMAGE TO PERSONS OR PROPERTY. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY INDEMNIFICATION. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY CONSEQUENTIAL DAMAGES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY PUNITIVE DAMAGES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY ATTORNEY'S FEES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY COSTS OF LITIGATION. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY DAMAGES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY LOSSES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY PROFITS. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY REVENUES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY BENEFITS. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY SAVINGS. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY EXPENSES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY DAMAGES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY LOSSES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY PROFITS. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY REVENUES. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY BENEFITS. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY SAVINGS. BEINFELD ARCHITECTURE SHALL NOT BE RESPONSIBLE FOR ANY EXPENSES.


Rev#	Description	Date
REVISION SCHEDULE		
PROGRESS		
SEAL		
PROJECT HIGHGROVE PARKING		
ADDRESS 251 GREYROCK PLACE		
DWG TITLE Section		
JOB NO. Project Number		
DATE 03/07/22		
SCALE 1/4" = 1'-0"		
DRAWN BY Author		

A2.04



LEGEND


- PROPERTY LINE
- EXISTING CONTOUR
- PROPOSED CONTOUR
- TREE LINE TO REMAIN (APPROX.)
- NEW / EX. LAWN AREA
- EX. DECIDUOUS / EVERGREEN TREE TO REMAIN
- EX. TREE TO BE REMOVED
- NEW DECIDUOUS SHADE TREE
- NEW DECIDUOUS SMALL TREE
- NEW SHRUB
- NEW GARDEN LIGHT
- NEW WALL LIGHT



- NOTES:
- BOLLARD SHALL BE BEGA 55 005 (2700K).
 - INSTALL PER MANUFACTURER'S RECOMMENDATIONS.

GARDEN LIGHT

SCALE: NOT TO SCALE



BRUCK 8 3/4" x 3 1/4" LOUVER BRONZE STEP LIGHT (STYLE #11P70) WITH 3200k LIGHT

WALL LIGHT (TYP.)

SCALE: NOT TO SCALE

NOTES:


- EXISTING AND PROPOSED SITE INFORMATION TAKEN FROM A DIGITAL AUTOCADD SITE PLAN SUPPLIED BY REDNISS & MEAD.
- EXACT LOCATION OF PROPOSED PLANTINGS AND SPECIES TYPES MAY VARY FROM THIS PLAN BASED ON SITE PLAN REVISIONS AND/OR ACTUAL FIELD CONDITIONS.
- PLANT SPECIES SUBSTITUTIONS MAY BE MADE WITH THE APPROVAL OF THE PROJECT LANDSCAPE ARCHITECT PRIOR TO PLANTING. SUBSTITUTED PLANTS SHALL BE AT AN EQUAL OR GREATER SIZE AS NOTED USING A SIMILAR TYPE PLANT.
- ALL PLANTING METHODS SHALL BE IN ACCORDANCE WITH THE "AMERICAN STANDARDS FOR NURSERY STOCK", LATEST EDITION, AS PUBLISHED BY THE AMERICAN NURSERY & LANDSCAPE ASSOCIATION.
- THIS PLAN FOR PLANTING PURPOSES ONLY. SEE PLANS BY OTHERS FOR ADDITIONAL INFORMATION.
- ROOFTOP LANDSCAPE LAYOUT IS CONCEPTUAL AND MAY VARY FROM PLAN.

SITE PLANT LIST

QTY	KEY	BOTANICAL NAME	COMMON NAME	SIZE	ROOT	REMARKS	PLANTING HT.	MATURE HT.
1	AB	AMELANCHIER 'AUTUMN BRILLANCE'	AUTUMN BRILLANCE SHAD	5-6' HT.	B&B	3 STEMS	5-6' HT.	18-20' HT.
1	AC	AMELANCHIER CANADENSIS	SHAD	5-6' HT.	B&B	MULTI-STEM	5-6' HT.	18-20' HT.
1	BB	MAGNOLIA GRANDIFLORA 'BRACKEN'S BEAUTY'	BRACKEN'S BEAUTY MAGNOLIA	6-7' HT.	B&B	EVERGREEN	6-7' HT.	15-20' HT.
3	CR	CLETHRA ALNIFOLIA 'RUBY SPICE'	RUBY SPICE CLETHRA	3-4' HT.	CONT.	FRAGRANT		6-7' HT.
17	LA	LEUCOTHOE AXILLARIS 'GREENSPRITE'	GREENSPRITE LEUCOTHOE	2-3' HT.	CONT.	EVERGREEN		
8	RC	RHODODENDRON 'CHIONOIDES'	CHIONOIDES RHODODENDRON	36-42" HT.	B&B	WHITE	3-4' HT.	5-6' HT.
25	AS	ASTILBE 'VISION IN WHITE'	WHITE ASTILBE		1 GAL.	PERENNIAL		
5	HS	HOSTA 'JUNE'	VARIEGATED HOSTA		1 GAL.	PERENNIAL		
200	VM	VINCA MINOR	VINCA		BR			

ROOF PLANT LIST (TYPICAL)

QTY	KEY	BOTANICAL NAME	COMMON NAME	SIZE	ROOT	REMARKS
4	BH	BETULA NIGRA 'HERITAGE'	HERITAGE BIRCH	9-10' HT.	B&B	3 STEMS
13	PW	AZALEA 'PLEASANT WHITE'	PLEASANT WHITE AZALEA	18-24" HT.	CONT.	
1	CA	CLETHRA 'COMPACTA'	DWARF SUMMERSWEET	36-42" HT.	CONT.	
19	LL	HYDRANGEA PANICULATA 'LITTLE LIME'	LITTLE LIME HYDRANGEA	2-3' HT.	CONT.	
1	LM	HYDRANGEA PANICULATA 'LIME LIGHT'	LIMELIGHT HYDRANGEA	4-5' HT.	CONT.	
1	OL	HYDRANGEA QUERCIFOLIA	OAKLAEF HYDRANGEA	3-4' HT.	CONT.	
16	BP	JUNIPERUS CONFERTA 'BLUE PACIFIC'	BLUE PACIFIC JUNIPER	2-3' SPR.	CONT.	
10	SC	LEUCOTHOE AXILLARIS 'SARAH'S CHOICE'	SARAH'S CHOICE LEUCOTHOE	2-3' HT.	CONT.	
17	WR	ROSA 'WHITE MEIDLAND'	WHITE MEIDLAND ROSE	2-3' SPR.	CONT.	
12	SB	SPIRAEA 'SHIROBANA'	SHIROBANA SPIREA	24-30" HT.	CONT.	
2	TH	THUJA OCCIDENTALIS 'HOLMSTRUP'	HOLMSTRUP ARBORVITAE	36-42" HT.	CONT.	
17	AS	ASTILBE 'VISION IN WHITE'	WHITE ASTILBE		1 GAL.	
25	HR	HEMEROCALLIS 'HAPPY RETURNS'	HAPPY RETURNS DAYLILY		1 GAL.	
80	LR	LIRIOPE MUSCARI 'MONROE WHITE'	MONROE WHITE LIRIOPE		1 QT.	
4	GN	LYSIMACHIA CLETHROIDES	GOOSENECK LOOSESTRIFE		1 GAL.	
600	VM	VINCA MINOR	VINCA		BR	FIELD LOCATE



REVISIONS:	DRAWING TITLE: LANDSCAPE PLAN
	PROJECT: 70 FOREST STREET LLC 70 FOREST STREET & 251 GREYROCK PLACE STAMFORD, CONNECTICUT
	SEAL:
ENVIRONMENTAL LAND SOLUTIONS, LLC Landscape Architecture and Environmental Planning 8 KNIGHT STREET, SUITE 203 NORWALK, CONNECTICUT 06851 Tel: (203) 855-7879 Fax: (203) 855-7836 info@elsllc.net www.elsllc.net	DATE: 8.3.22 SCALE: 1"=30' DRAWING NO.: LP.1

SITE ENGINEERING REPORT

**70 Forest Street & 251
Greyrock Place
Highgrove Parking Garage**

Prepared For


70 Forest Street LLC
Stamford, CT

Prepared by

Redniss & Mead, Inc.
22 First Street
Stamford, CT
(203) 327-0500

Issued on

May 9, 2023



Bret Holzwarth

Bret Holzwarth, P.E.
CT #27812

**REDNISS
& MEAD**

LAND SURVEYING
CIVIL ENGINEERING
PLANNING & ZONING CONSULTING
PERMITTING

Stamford, CT 06905
203.327.0500
www.rednissmead.com



Table of Contents

Project Description:	4
Existing Conditions:.....	4
Proposed Conditions:.....	5
Compliance with Stormwater Management Standards	6
Standard 2. Peak Flow Control	6
Standard 3: Construction Erosion and Sediment Control	6
Standard 4: Operation and Maintenance.....	7
Standard 5: Stormwater Management Report.....	7

Appendices

Appendix A:

NRCS Websoil Survey
NOAA-Atlas 14 Volume 10 – Precipitation Frequency
FEMA Flood Insurance Map

Appendix B:


Existing On-Site Drainage Basin Map
Proposed On-Site Drainage Basin Map
HydroCAD Report
Zurn Control-Flo Roof Drain Detail

Appendix C:

Draft Drainage Maintenance Agreement

Appendix D:

DCIA Tracking Spreadsheet
Checklist for Stormwater Management Report



Narrative

Project Description:

The applicant is seeking approval to construct a three-story parking garage and roof deck with a connection to the existing Highgrove condominium building to the south and other related ancillary improvements at 70 Forest Street & 251 Greyrock Place in Stamford, CT. The parcel is approximately 2,985 Sq. Ft. and is located on the south side of Greyrock Place. The property is zoned as RH and abuts the existing Highgrove Condominium building. The property is served by public water and city sewers. Reference is made to site drawings (SP-1, SE-1 through SE-3) prepared by this office dated May 9, 2023.

Existing Conditions:

The property was formerly developed with a recently demolished existing three-story dwelling and associated stairs, walks driveway and retaining walls. The total onsite impervious coverage is 2,503 Sq. Ft. (58.8%). The remainder of the property, 1,756 Sq. Ft. (41.2%), is lawn/plantings. There is no existing drainage system on site, and stormwater generally runs off the site to the northeast. Refer to the drainage basin maps in Appendix B for more detailed information. Site elevations range from elevation 33± at the southwest corner of the property to elevation 30± at the existing retaining along the east side of the property. The property does not lie within the Coastal Boundaries or the drinking water supply watershed. The property lies within Zone X of the regulatory 100-year floodplain as established by the Federal Emergency Management Agency (FEMA) on "Flood Insurance Rate Maps" (FIRM) for Fairfield County, Community No. 09001C0516G, Panel 516 of 626, effective date July 08, 2013.

Drainage Patterns & Conveyance Systems

The proposed disturbance area of the site is approximately 4,650 sf. The site runoff is tributary to a catch basin on the southwest corner of Greyrock Place and Grove Street. Then it flows within the drainage system that eventually discharges into the East Branch of Stamford Harbor.

Soils

The USDA Natural Resources Conservation Service's Websoil Survey indicates the soils on the subject parcel is Urban land within Hydrologic Soils Group D.

Proposed Conditions:

The project includes the construction of an approximate 3,310 SF footprint parking garage with a connection to the existing Highgrove Condominiums to the south and other related ancillary improvements such as a blue roof and sidewalk improvements. The proposed improvements shall increase impervious coverage onsite by approximately 1,012± sf. This increase in impervious coverage is incorporated into the drainage design and is shown on the proposed drainage basin map.

Stormwater Management System

The Stormwater Management system is comprised of a blue roof system located on the northern portion of the proposed parking garage deck. The rooftop patio will be elevated on pedistals with sloping rooftop below. Runoff will be collected, stored and discharged via controlled flow roof drains. The system will have a maximum storage depth of 3” before it hits the high overflow drains. Stormwater collected and stored on the roof will be released by roof drains controlling the flow at 5 GPM per inch of head above the roof drain. The Zurn ZI05 Control-Flo Roof Drain was used for design modelling purposes, and it is noted that final roof drain specification should be consistent with this selection. Controlled rooftop runoff is routed internally to the existing Highgrove Condominium connection that discharges to the city system to the south in Forest Street.

Methodology & General Design Criteria

The drainage system has been designed for Type III, 24-hour storm events. The project site is south of the Merritt Parkway and therefore has been designed to adequately accommodate peak runoff for all storms up to and including the 50-year design storm. The 24-hour design storm rainfall amounts, and distributions were obtained from the latest NOAA Atlas 14 Point Precipitation Frequency Estimates and storm distributions ([Appendix A](#)).

Project Classification

The proposed development is classified as a redevelopment project with less than ½ an acre of disturbance and greater than 400 square feet of new impervious coverage, therefore must comply with Standards 2 through 5 of the Stamford Drainage Manual utilizing the “Lite” checklist.

Hydrologic Analysis of Peak Rates of Runoff

Hydrologic models have been prepared utilizing the SCS Runoff Curve Number Method from NRCS TR-55 to analyze the pre- and post-development rainfall runoff rates and volumes. Watershed areas, curve numbers (CN), and times of concentration (TC) were calculated for the onsite area. The pre-development drainage basin boundaries and the post-development drainage basin boundaries are shown in [Appendix B](#). The results of the HydroCad model used to analyze the pre- and post-development watershed conditions are presented in [Appendix B](#).

A comparison of the pre- and post-development peak discharge rates is provided in Table 1 below.

Table 1. Existing V.S. Proposed Peak Flows Onsite

Return Period (years)	Existing Peak Flow Rate (cfs)	Proposed Peak Flow Rate (cfs)	Change (cfs)	Percent Change (%)
1	0.26	0.20	-0.06	23.1%
2	0.33	0.25	-0.08	24.2%
5	0.45	0.33	-0.12	26.7%
10	0.54	0.40	-0.14	25.9%
25	0.68	0.50	-0.18	26.5%
50	0.77	0.57	-0.20	26.0%

Comparison of the peak discharge rates for pre- and post-development watershed conditions demonstrates that the peak rate of runoff from the proposed development will be decreased. Therefore, the proposed development will not adversely impact the downstream or adjacent properties or receiving water bodies or courses.

Compliance with Stormwater Management Standards

The project site will be designed to meet the Stamford Stormwater Management Standards to the maximum extent practicable as summarized below:

Standard 2. Peak Flow Control

- A. Stream channel protection is not required for this project.
- B. The proposed stormwater system is designed to adequately pass flows leading to, from and through it up to and including the 50-year design storm event as required in Section 3 of the drainage manual. Refer to the HydroCAD model found in [Appendix B](#).
- C. The post-development peak flow rates from the 1-year, 2-year, 5-year, 10-year, 25-year and 50-year, 24-hour storms are controlled to the corresponding pre-development peak discharge rates. Reference is made to the HydroCAD report found in [Appendix B](#).
- D. The blue roof is equipped with high-bypass “emergency outlet” (overflow roof drains) sized to safely pass the post-development peak runoff from the 100-year, 24-hour storm event.
- E. No on-site detention is proposed as an end of pipe system, although the portion of the roof deck that utilizes the blue roof system will be fitted with outlet control roof drains as a part of the overall roof design.

Standard 3: Construction Erosion and Sediment Control

- A. Site plan sheet SE-2 depicts erosion control measures to be implemented to control construction related impacts. Sediment and erosion controls such as silt fencing, stone tracking pads at

construction zone entrance/exit points, hay bale & filter fabric catch basin protection, and tree protection are proposed.

Standard 4: Operation and Maintenance

- A. A Standard City of Stamford Drainage Maintenance Agreement will be executed with the Environmental Protection Board at the completion of construction. A draft maintenance agreement has been prepared and is included in Appendix D.
- B. The construction plans will include notes describing the long-term maintenance requirements for the site-specific drainage system(s) including routine and non-routine inspection and maintenance tasks to be undertaken after construction is completed as well as the schedule for implementing these tasks. This information is indicated on sheet SE-3.

Standard 5: Stormwater Management Report


- A. This document and its associated appendices serve as the required Stormwater Management Report.
- B. (See below)

Based on the above information, the proposed improvements are designed in accordance with the City of Stamford Stormwater Drainage Manual and will not adversely impact adjacent or downstream properties or City-owned drainage facilities.

Appendix A


NRCS Websoil Survey
NOAA Atlas 14 Volume 10 – Precipitation Frequency
FEMA Flood Insurance Map

Soil Map—State of Connecticut



Soil Map may not be valid at this scale.

Map Scale: 1:1,710 if printed on A landscape (11" x 8.5") sheet.



MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:12,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: State of Connecticut
Survey Area Data: Version 21, Sep 7, 2021

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Oct 4, 2020—Oct 31, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
307	Urban land	10.9	100.0%
Totals for Area of Interest		10.9	100.0%



NOAA Atlas 14, Volume 10, Version 3
Location name: Stamford, Connecticut, USA*
Latitude: 41.0574°, Longitude: -73.5348°
Elevation: 28.72 ft**
* source: ESRI Maps
** source: USGS



POINT PRECIPITATION FREQUENCY ESTIMATES

Sanja Perica, Sandra Pavlovic, Michael St. Laurent, Carl Trypaluk, Dale Unruh, Orlan Wilhite

NOAA, National Weather Service, Silver Spring, Maryland

[PF tabular](#) | [PF graphical](#) | [Maps & aeriels](#)

PF tabular





PDS-based point precipitation frequency estimates with 90% confidence intervals (in inches)¹										
Duration	Average recurrence interval (years)									
	1	2	5	10	25	50	100	200	500	1000
5-min	0.365 (0.282-0.464)	0.425 (0.328-0.541)	0.523 (0.402-0.668)	0.605 (0.462-0.776)	0.717 (0.531-0.952)	0.802 (0.582-1.08)	0.889 (0.627-1.24)	0.984 (0.662-1.40)	1.12 (0.724-1.64)	1.23 (0.775-1.83)
10-min	0.517 (0.399-0.658)	0.602 (0.464-0.767)	0.741 (0.569-0.947)	0.856 (0.654-1.10)	1.01 (0.752-1.35)	1.14 (0.824-1.53)	1.26 (0.888-1.75)	1.40 (0.938-1.98)	1.58 (1.03-2.32)	1.74 (1.10-2.59)
15-min	0.608 (0.469-0.774)	0.708 (0.546-0.902)	0.872 (0.670-1.11)	1.01 (0.769-1.29)	1.19 (0.885-1.59)	1.34 (0.969-1.81)	1.48 (1.05-2.06)	1.64 (1.10-2.33)	1.86 (1.21-2.73)	2.04 (1.29-3.04)
30-min	0.851 (0.656-1.08)	0.992 (0.764-1.26)	1.22 (0.939-1.56)	1.41 (1.08-1.81)	1.68 (1.24-2.22)	1.88 (1.36-2.53)	2.08 (1.46-2.89)	2.30 (1.55-3.27)	2.60 (1.69-3.81)	2.84 (1.80-4.23)
60-min	1.09 (0.843-1.39)	1.27 (0.983-1.62)	1.57 (1.21-2.01)	1.82 (1.39-2.33)	2.16 (1.60-2.86)	2.42 (1.75-3.26)	2.68 (1.88-3.72)	2.96 (1.99-4.21)	3.34 (2.16-4.89)	3.63 (2.30-5.41)
2-hr	1.41 (1.10-1.79)	1.66 (1.29-2.11)	2.07 (1.60-2.63)	2.41 (1.86-3.08)	2.88 (2.15-3.80)	3.24 (2.36-4.34)	3.60 (2.55-4.98)	4.00 (2.70-5.65)	4.56 (2.96-6.63)	5.00 (3.18-7.41)
3-hr	1.63 (1.27-2.05)	1.93 (1.50-2.43)	2.42 (1.87-3.05)	2.82 (2.18-3.58)	3.38 (2.52-4.44)	3.80 (2.78-5.09)	4.23 (3.01-5.85)	4.72 (3.19-6.64)	5.40 (3.52-7.83)	5.96 (3.79-8.79)
6-hr	2.05 (1.61-2.57)	2.44 (1.92-3.06)	3.08 (2.41-3.87)	3.61 (2.81-4.56)	4.34 (3.27-5.69)	4.89 (3.61-6.52)	5.47 (3.92-7.52)	6.12 (4.15-8.56)	7.05 (4.61-10.2)	7.82 (4.99-11.5)
12-hr	2.53 (2.00-3.15)	3.03 (2.39-3.77)	3.84 (3.02-4.80)	4.52 (3.53-5.66)	5.44 (4.12-7.09)	6.14 (4.56-8.14)	6.87 (4.96-9.42)	7.72 (5.26-10.7)	8.95 (5.86-12.8)	9.97 (6.38-14.5)
24-hr	2.97 (2.36-3.66)	3.59 (2.85-4.44)	4.61 (3.65-5.71)	5.45 (4.29-6.79)	6.61 (5.04-8.57)	7.48 (5.59-9.88)	8.40 (6.11-11.5)	9.49 (6.49-13.1)	11.1 (7.30-15.8)	12.5 (8.01-18.0)
2-day	3.31 (2.65-4.07)	4.08 (3.26-5.01)	5.32 (4.24-6.56)	6.36 (5.04-7.87)	7.78 (5.98-10.0)	8.84 (6.65-11.6)	9.98 (7.32-13.6)	11.4 (7.79-15.6)	13.4 (8.86-19.0)	15.2 (9.81-21.9)
3-day	3.58 (2.88-4.37)	4.42 (3.54-5.40)	5.78 (4.62-7.09)	6.92 (5.50-8.52)	8.48 (6.53-10.9)	9.63 (7.28-12.6)	10.9 (8.01-14.8)	12.4 (8.52-16.9)	14.7 (9.71-20.7)	16.7 (10.8-23.8)
4-day	3.83 (3.09-4.67)	4.71 (3.79-5.75)	6.15 (4.93-7.52)	7.35 (5.86-9.03)	8.99 (6.94-11.5)	10.2 (7.73-13.3)	11.5 (8.49-15.6)	13.1 (9.03-17.9)	15.5 (10.3-21.8)	17.6 (11.4-25.1)
7-day	4.57 (3.70-5.54)	5.53 (4.47-6.70)	7.09 (5.71-8.62)	8.39 (6.72-10.2)	10.2 (7.88-12.9)	11.5 (8.73-14.9)	12.9 (9.53-17.4)	14.6 (10.1-19.8)	17.1 (11.4-23.9)	19.3 (12.5-27.3)
10-day	5.29 (4.30-6.39)	6.30 (5.11-7.61)	7.94 (6.43-9.63)	9.31 (7.48-11.3)	11.2 (8.69-14.1)	12.6 (9.57-16.2)	14.1 (10.4-18.8)	15.8 (11.0-21.3)	18.3 (12.2-25.5)	20.4 (13.2-28.9)
20-day	7.47 (6.11-8.95)	8.60 (7.03-10.3)	10.4 (8.50-12.6)	12.0 (9.69-14.5)	14.1 (11.0-17.6)	15.7 (11.9-19.9)	17.3 (12.7-22.7)	19.1 (13.3-25.6)	21.5 (14.4-29.7)	23.5 (15.3-32.9)
30-day	9.26 (7.61-11.1)	10.5 (8.60-12.5)	12.5 (10.2-15.0)	14.1 (11.5-17.0)	16.4 (12.8-20.4)	18.2 (13.9-22.9)	19.9 (14.6-25.8)	21.7 (15.2-28.9)	24.1 (16.2-33.1)	25.9 (16.9-36.2)
45-day	11.5 (9.46-13.6)	12.8 (10.5-15.2)	15.0 (12.3-17.9)	16.8 (13.7-20.1)	19.2 (15.1-23.7)	21.2 (16.2-26.5)	23.1 (16.9-29.6)	24.9 (17.5-33.0)	27.2 (18.3-37.2)	29.0 (18.9-40.3)
60-day	13.3 (11.0-15.8)	14.7 (12.2-17.5)	17.0 (14.0-20.3)	18.9 (15.5-22.6)	21.6 (16.9-26.5)	23.6 (18.1-29.5)	25.6 (18.8-32.7)	27.5 (19.4-36.4)	29.9 (20.1-40.7)	31.5 (20.6-43.7)

¹ Precipitation frequency (PF) estimates in this table are based on frequency analysis of partial duration series (PDS). Numbers in parenthesis are PF estimates at lower and upper bounds of the 90% confidence interval. The probability that precipitation frequency estimates (for a given duration and average recurrence interval) will be greater than the upper bound (or less than the lower bound) is 5%. Estimates at upper bounds are not checked against probable maximum precipitation (PMP) estimates and may be higher than currently valid PMP values. Please refer to NOAA Atlas 14 document for more information.

[Back to Top](#)

PF graphical

PDS-based depth-duration-frequency (DDF) curves
 Latitude: 41.0574°. Longitude: -73.5348°



[Back to Top](#)

Maps & aerials

Small scale terrain



Large scale terrain



Large scale map



Large scale aerial



[Back to Top](#)


[US Department of Commerce](#)
[National Oceanic and Atmospheric Administration](#)
[National Weather Service](#)
[National Water Center](#)
1325 East West Highway
Silver Spring, MD 20910
Questions?: HDSC.Questions@noaa.gov

[Disclaimer](#)

Appendix B

Existing On-Site Drainage Basin Map
Proposed On-Site Drainage Basin Map
HydroCAD Report
Zurn Control-Flo Roof Drain Detail


GREYROCK PLACE



HIGH GROVE APARTMENTS
FIRST FLOOR PARKING = 14.9
SECOND FLOOR PARKING = 26.9
THIRD FLOOR PARKING = 35.4
FOURTH FLOOR RESIDENTIAL = 43.9
(BASED ON FIELD VERIFICATION)

EXISTING DRAINAGE BASIN MAP GREYROCK PLACE STAMFORD, CT

**REDNISS
& MEAD**



HIGH GROVE APARTMENTS
 FIRST FLOOR PARKING = 14.9
 SECOND FLOOR PARKING = 26.9
 THIRD FLOOR PARKING = 35.4
 FOURTH FLOOR RESIDENTIAL = 43.9
 (BASED ON FIELD VERIFICATION)

PROPOSED DRAINAGE BASIN MAP
GREYROCK PLACE
STAMFORD, CT



EXISTING CONDITIONS




EX. Basin




EX. Outfall

PROPOSED CONDITIONS



PR. Bypass Basin





PR. Blue Roof Basin



Blue Roof



PR. Outfall



6258 Garage HydroCAD for ZB

Type III 24-hr 1-Year Rainfall=2.97"

Prepared by {enter your company name here}

Printed 4/18/2023

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Page 7

Time span=0.00-24.00 hrs, dt=0.01 hrs, 2401 points
Runoff by SCS TR-20 method, UH=SCS, Weighted-CN
Reach routing by Stor-Ind+Trans method - Pond routing by Stor-Ind method

Subcatchment1S: EX. Basin Runoff Area=4,652 sf 59.76% Impervious Runoff Depth>2.02"
Tc=5.0 min CN=90.76 Runoff=0.26 cfs 783 cf

Subcatchment3S: PR. Blue Roof Basin Runoff Area=1,795 sf 100.00% Impervious Runoff Depth>2.74"
Tc=5.0 min CN=98.00 Runoff=0.12 cfs 409 cf

Subcatchment4S: PR. Bypass Basin Runoff Area=2,857 sf 60.17% Impervious Runoff Depth>2.03"
Tc=5.0 min CN=90.83 Runoff=0.16 cfs 483 cf

Pond 1P: Blue Roof Peak Elev=46.52' Storage=92 cf Inflow=0.12 cfs 409 cf
Outflow=0.05 cfs 407 cf

Link 2L: EX. Outfall Inflow=0.26 cfs 783 cf
Primary=0.26 cfs 783 cf

Link 4L: PR. Outfall Inflow=0.20 cfs 890 cf
Primary=0.20 cfs 890 cf

Total Runoff Area = 9,304 sf Runoff Volume = 1,675 cf Average Runoff Depth = 2.16"
32.35% Pervious = 3,010 sf 67.65% Impervious = 6,294 sf

6258 Garage HydroCAD for ZB

Type III 24-hr 2-Year Rainfall=3.59"

Prepared by {enter your company name here}

Printed 4/18/2023

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Page 16

Time span=0.00-24.00 hrs, dt=0.01 hrs, 2401 points
Runoff by SCS TR-20 method, UH=SCS, Weighted-CN
Reach routing by Stor-Ind+Trans method - Pond routing by Stor-Ind method

Subcatchment1S: EX. Basin Runoff Area=4,652 sf 59.76% Impervious Runoff Depth>2.60"
Tc=5.0 min CN=90.76 Runoff=0.33 cfs 1,009 cf

Subcatchment3S: PR. Blue Roof Basin Runoff Area=1,795 sf 100.00% Impervious Runoff Depth>3.35"
Tc=5.0 min CN=98.00 Runoff=0.15 cfs 502 cf

Subcatchment4S: PR. Bypass Basin Runoff Area=2,857 sf 60.17% Impervious Runoff Depth>2.61"
Tc=5.0 min CN=90.83 Runoff=0.20 cfs 621 cf

Pond 1P: Blue Roof Peak Elev=46.55' Storage=113 cf Inflow=0.15 cfs 502 cf
Outflow=0.06 cfs 499 cf

Link 2L: EX. Outfall Inflow=0.33 cfs 1,009 cf
Primary=0.33 cfs 1,009 cf

Link 4L: PR. Outfall Inflow=0.25 cfs 1,120 cf
Primary=0.25 cfs 1,120 cf

Total Runoff Area = 9,304 sf Runoff Volume = 2,131 cf Average Runoff Depth = 2.75"
32.35% Pervious = 3,010 sf 67.65% Impervious = 6,294 sf

6258 Garage HydroCAD for ZB

Type III 24-hr 5-Year Rainfall=4.61"

Prepared by {enter your company name here}

Printed 4/18/2023

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Page 25

Time span=0.00-24.00 hrs, dt=0.01 hrs, 2401 points
Runoff by SCS TR-20 method, UH=SCS, Weighted-CN
Reach routing by Stor-Ind+Trans method - Pond routing by Stor-Ind method

Subcatchment1S: EX. Basin Runoff Area=4,652 sf 59.76% Impervious Runoff Depth>3.58"
Tc=5.0 min CN=90.76 Runoff=0.45 cfs 1,387 cf

Subcatchment3S: PR. Blue Roof Basin Runoff Area=1,795 sf 100.00% Impervious Runoff Depth>4.37"
Tc=5.0 min CN=98.00 Runoff=0.19 cfs 654 cf

Subcatchment4S: PR. Bypass Basin Runoff Area=2,857 sf 60.17% Impervious Runoff Depth>3.58"
Tc=5.0 min CN=90.83 Runoff=0.28 cfs 853 cf

Pond 1P: Blue Roof Peak Elev=46.58' Storage=146 cf Inflow=0.19 cfs 654 cf
Outflow=0.08 cfs 651 cf

Link 2L: EX. Outfall Inflow=0.45 cfs 1,387 cf
Primary=0.45 cfs 1,387 cf

Link 4L: PR. Outfall Inflow=0.33 cfs 1,504 cf
Primary=0.33 cfs 1,504 cf

Total Runoff Area = 9,304 sf Runoff Volume = 2,894 cf Average Runoff Depth = 3.73"
32.35% Pervious = 3,010 sf 67.65% Impervious = 6,294 sf

6258 Garage HydroCAD for ZB

Type III 24-hr 10-Year Rainfall=5.45"

Prepared by {enter your company name here}

Printed 4/18/2023

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Page 34

Time span=0.00-24.00 hrs, dt=0.01 hrs, 2401 points
Runoff by SCS TR-20 method, UH=SCS, Weighted-CN
Reach routing by Stor-Ind+Trans method - Pond routing by Stor-Ind method

Subcatchment1S: EX. Basin Runoff Area=4,652 sf 59.76% Impervious Runoff Depth>4.39"
Tc=5.0 min CN=90.76 Runoff=0.54 cfs 1,702 cf

Subcatchment3S: PR. Blue Roof Basin Runoff Area=1,795 sf 100.00% Impervious Runoff Depth>5.21"
Tc=5.0 min CN=98.00 Runoff=0.23 cfs 779 cf

Subcatchment4S: PR. Bypass Basin Runoff Area=2,857 sf 60.17% Impervious Runoff Depth>4.40"
Tc=5.0 min CN=90.83 Runoff=0.33 cfs 1,047 cf

Pond 1P: Blue Roof Peak Elev=46.61' Storage=174 cf Inflow=0.23 cfs 779 cf
Outflow=0.09 cfs 775 cf

Link 2L: EX. Outfall Inflow=0.54 cfs 1,702 cf
Primary=0.54 cfs 1,702 cf

Link 4L: PR. Outfall Inflow=0.40 cfs 1,823 cf
Primary=0.40 cfs 1,823 cf

Total Runoff Area = 9,304 sf Runoff Volume = 3,528 cf Average Runoff Depth = 4.55"
32.35% Pervious = 3,010 sf 67.65% Impervious = 6,294 sf

6258 Garage HydroCAD for ZB*Type III 24-hr 25-Year Rainfall=6.61"*

Prepared by {enter your company name here}

Printed 4/18/2023

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Page 43

Time span=0.00-24.00 hrs, dt=0.01 hrs, 2401 points
Runoff by SCS TR-20 method, UH=SCS, Weighted-CN
Reach routing by Stor-Ind+Trans method - Pond routing by Stor-Ind method

Subcatchment1S: EX. Basin Runoff Area=4,652 sf 59.76% Impervious Runoff Depth>5.52"
Tc=5.0 min CN=90.76 Runoff=0.68 cfs 2,141 cf

Subcatchment3S: PR. Blue Roof Basin Runoff Area=1,795 sf 100.00% Impervious Runoff Depth>6.37"
Tc=5.0 min CN=98.00 Runoff=0.28 cfs 952 cf

Subcatchment4S: PR. Bypass Basin Runoff Area=2,857 sf 60.17% Impervious Runoff Depth>5.53"
Tc=5.0 min CN=90.83 Runoff=0.41 cfs 1,317 cf

Pond 1P: Blue Roof Peak Elev=46.65' Storage=211 cf Inflow=0.28 cfs 952 cf
Outflow=0.11 cfs 948 cf

Link 2L: EX. Outfall Inflow=0.68 cfs 2,141 cf
Primary=0.68 cfs 2,141 cf

Link 4L: PR. Outfall Inflow=0.50 cfs 2,265 cf
Primary=0.50 cfs 2,265 cf

Total Runoff Area = 9,304 sf Runoff Volume = 4,411 cf Average Runoff Depth = 5.69"
32.35% Pervious = 3,010 sf 67.65% Impervious = 6,294 sf

6258 Garage HydroCAD for ZB

Prepared by {enter your company name here}

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Type III 24-hr 25-Year Rainfall=6.61"

Printed 4/18/2023

Page 44

Summary for Subcatchment 1S: EX. Basin

Runoff = 0.68 cfs @ 12.07 hrs, Volume= 2,141 cf, Depth> 5.52"
 Routed to Link 2L : EX. Outfall


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-24.00 hrs, dt= 0.01 hrs
 Type III 24-hr 25-Year Rainfall=6.61"

Area (sf)	CN	Description
2,503	98.00	Roofs, HSG D
1,756	80.00	>75% Grass cover, Good, HSG D
277	98.00	Offsite - Paved parking, HSG D
116	80.00	Offsite - >75% Grass cover, Good, HSG D
4,652	90.76	Weighted Average
1,872		40.24% Pervious Area
2,780		59.76% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
5.0					Direct Entry,

Subcatchment 1S: EX. Basin

Hydrograph



6258 Garage HydroCAD for ZB

Prepared by {enter your company name here}

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Type III 24-hr 25-Year Rainfall=6.61"

Printed 4/18/2023

Page 45

Summary for Subcatchment 3S: PR. Blue Roof Basin

Runoff = 0.28 cfs @ 12.07 hrs, Volume= 952 cf, Depth> 6.37"
Routed to Pond 1P : Blue Roof


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-24.00 hrs, dt= 0.01 hrs
Type III 24-hr 25-Year Rainfall=6.61"

Area (sf)	CN	Description
* 1,795	98.00	Pedestal Rooftop
1,795		100.00% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
5.0					Direct Entry,

Subcatchment 3S: PR. Blue Roof Basin

Hydrograph



6258 Garage HydroCAD for ZB

Prepared by {enter your company name here}

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Type III 24-hr 25-Year Rainfall=6.61"

Printed 4/18/2023

Page 46

Summary for Subcatchment 4S: PR. Bypass Basin

Runoff = 0.41 cfs @ 12.07 hrs, Volume= 1,317 cf, Depth> 5.53"
 Routed to Link 4L : PR. Outfall


Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 0.00-24.00 hrs, dt= 0.01 hrs
 Type III 24-hr 25-Year Rainfall=6.61"

Area (sf)	CN	Description
74	98.00	Paved parking, HSG D
745	80.00	>75% Grass cover, Good, HSG D
393	80.00	Offsite - >75% Grass cover, Good, HSG D
1,645	98.00	Roofs, HSG D
2,857	90.83	Weighted Average
1,138		39.83% Pervious Area
1,719		60.17% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
5.0					Direct Entry,

Subcatchment 4S: PR. Bypass Basin

Hydrograph



6258 Garage HydroCAD for ZB

Type III 24-hr 25-Year Rainfall=6.61"

Prepared by {enter your company name here}

Printed 4/18/2023

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Page 47

Summary for Pond 1P: Blue Roof

Inflow Area = 1,795 sf, 100.00% Impervious, Inflow Depth > 6.37" for 25-Year event
 Inflow = 0.28 cfs @ 12.07 hrs, Volume= 952 cf
 Outflow = 0.11 cfs @ 12.26 hrs, Volume= 948 cf, Atten= 59%, Lag= 11.2 min
 Primary = 0.11 cfs @ 12.26 hrs, Volume= 948 cf
 Routed to Link 4L : PR. Outfall

Routing by Stor-Ind method, Time Span= 0.00-24.00 hrs, dt= 0.01 hrs / 2
 Peak Elev= 46.65' @ 12.26 hrs Surf.Area= 1,686 sf Storage= 211 cf

Plug-Flow detention time= 30.5 min calculated for 948 cf (99% of inflow)
 Center-of-Mass det. time= 27.2 min (769.6 - 742.4)

Volume	Invert	Avail.Storage	Storage Description
#1	46.42'	1,575 cf	Custom Stage Data (Prismatic) Listed below x 2

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
46.42	0	0	0
46.67	900	113	113
47.42	900	675	788


Device	Routing	Invert	Outlet Devices
#0	Primary	47.42'	Automatic Storage Overflow (Discharged without head)
#1	Primary	47.12'	4.0" Horiz. High Overflow X 2.00 C= 0.600 Limited to weir flow at low heads
#2	Primary	46.42'	Control Flow Roof Drain X 2.00 Head (feet) 0.00 0.08 0.17 0.25 0.33 0.42 0.50 Disch. (cfs) 0.000 0.020 0.040 0.060 0.080 0.100 0.120

Primary OutFlow Max=0.11 cfs @ 12.26 hrs HW=46.65' (Free Discharge)

- 1=High Overflow (Controls 0.00 cfs)
- 2=Control Flow Roof Drain (Custom Controls 0.11 cfs)

Pond 1P: Blue Roof

Hydrograph



6258 Garage HydroCAD for ZB

Prepared by {enter your company name here}

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Type III 24-hr 25-Year Rainfall=6.61"

Printed 4/18/2023

Page 49

Stage-Area-Storage for Pond 1P: Blue Roof

Elevation (feet)	Surface (sq-ft)	Storage (cubic-feet)	Elevation (feet)	Surface (sq-ft)	Storage (cubic-feet)
46.42	0	0	46.94	1,800	711
46.43	72	9	46.95	1,800	729
46.44	144	18	46.96	1,800	747
46.45	216	27	46.97	1,800	765
46.46	288	36	46.98	1,800	783
46.47	360	45	46.99	1,800	801
46.48	432	54	47.00	1,800	819
46.49	504	63	47.01	1,800	837
46.50	576	72	47.02	1,800	855
46.51	648	81	47.03	1,800	873
46.52	720	90	47.04	1,800	891
46.53	792	99	47.05	1,800	909
46.54	864	108	47.06	1,800	927
46.55	936	117	47.07	1,800	945
46.56	1,008	126	47.08	1,800	963
46.57	1,080	135	47.09	1,800	981
46.58	1,152	144	47.10	1,800	999
46.59	1,224	153	47.11	1,800	1,017
46.60	1,296	162	47.12	1,800	1,035
46.61	1,368	171	47.13	1,800	1,053
46.62	1,440	180	47.14	1,800	1,071
46.63	1,512	189	47.15	1,800	1,089
46.64	1,584	198	47.16	1,800	1,107
46.65	1,656	207	47.17	1,800	1,125
46.66	1,728	216	47.18	1,800	1,143
46.67	1,800	225	47.19	1,800	1,161
46.68	1,800	243	47.20	1,800	1,179
46.69	1,800	261	47.21	1,800	1,197
46.70	1,800	279	47.22	1,800	1,215
46.71	1,800	297	47.23	1,800	1,233
46.72	1,800	315	47.24	1,800	1,251
46.73	1,800	333	47.25	1,800	1,269
46.74	1,800	351	47.26	1,800	1,287
46.75	1,800	369	47.27	1,800	1,305
46.76	1,800	387	47.28	1,800	1,323
46.77	1,800	405	47.29	1,800	1,341
46.78	1,800	423	47.30	1,800	1,359
46.79	1,800	441	47.31	1,800	1,377
46.80	1,800	459	47.32	1,800	1,395
46.81	1,800	477	47.33	1,800	1,413
46.82	1,800	495	47.34	1,800	1,431
46.83	1,800	513	47.35	1,800	1,449
46.84	1,800	531	47.36	1,800	1,467
46.85	1,800	549	47.37	1,800	1,485
46.86	1,800	567	47.38	1,800	1,503
46.87	1,800	585	47.39	1,800	1,521
46.88	1,800	603	47.40	1,800	1,539
46.89	1,800	621	47.41	1,800	1,557
46.90	1,800	639	47.42	1,800	1,575
46.91	1,800	657			
46.92	1,800	675			
46.93	1,800	693			


Summary for Link 2L: EX. Outfall

Inflow Area = 4,652 sf, 59.76% Impervious, Inflow Depth > 5.52" for 25-Year event
Inflow = 0.68 cfs @ 12.07 hrs, Volume= 2,141 cf
Primary = 0.68 cfs @ 12.07 hrs, Volume= 2,141 cf, Atten= 0%, Lag= 0.0 min

Primary outflow = Inflow, Time Span= 0.00-24.00 hrs, dt= 0.01 hrs

Link 2L: EX. Outfall

Hydrograph




Summary for Link 4L: PR. Outfall

Inflow Area = 4,652 sf, 75.54% Impervious, Inflow Depth > 5.84" for 25-Year event
Inflow = 0.50 cfs @ 12.08 hrs, Volume= 2,265 cf
Primary = 0.50 cfs @ 12.08 hrs, Volume= 2,265 cf, Atten= 0%, Lag= 0.0 min

Primary outflow = Inflow, Time Span= 0.00-24.00 hrs, dt= 0.01 hrs

Link 4L: PR. Outfall

Hydrograph



6258 Garage HydroCAD for ZB

Type III 24-hr 50-Year Rainfall=7.48"

Prepared by {enter your company name here}

Printed 4/18/2023

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Page 52

Time span=0.00-24.00 hrs, dt=0.01 hrs, 2401 points
Runoff by SCS TR-20 method, UH=SCS, Weighted-CN
Reach routing by Stor-Ind+Trans method - Pond routing by Stor-Ind method

Subcatchment1S: EX. Basin	Runoff Area=4,652 sf 59.76% Impervious Runoff Depth>6.38" Tc=5.0 min CN=90.76 Runoff=0.77 cfs 2,473 cf
Subcatchment3S: PR. Blue Roof Basin	Runoff Area=1,795 sf 100.00% Impervious Runoff Depth>7.24" Tc=5.0 min CN=98.00 Runoff=0.31 cfs 1,082 cf
Subcatchment4S: PR. Bypass Basin	Runoff Area=2,857 sf 60.17% Impervious Runoff Depth>6.39" Tc=5.0 min CN=90.83 Runoff=0.48 cfs 1,521 cf
Pond 1P: Blue Roof	Peak Elev=46.68' Storage=240 cf Inflow=0.31 cfs 1,082 cf Outflow=0.12 cfs 1,077 cf
Link 2L: EX. Outfall	Inflow=0.77 cfs 2,473 cf Primary=0.77 cfs 2,473 cf
Link 4L: PR. Outfall	Inflow=0.57 cfs 2,598 cf Primary=0.57 cfs 2,598 cf

Total Runoff Area = 9,304 sf Runoff Volume = 5,076 cf Average Runoff Depth = 6.55"
32.35% Pervious = 3,010 sf 67.65% Impervious = 6,294 sf

6258 Garage HydroCAD for ZB

Type III 24-hr 100-Year Rainfall=8.40"

Prepared by {enter your company name here}

Printed 4/18/2023

HydroCAD® 10.10-6a s/n 08721 © 2020 HydroCAD Software Solutions LLC

Page 61

Time span=0.00-24.00 hrs, dt=0.01 hrs, 2401 points
Runoff by SCS TR-20 method, UH=SCS, Weighted-CN
Reach routing by Stor-Ind+Trans method - Pond routing by Stor-Ind method

Subcatchment1S: EX. Basin Runoff Area=4,652 sf 59.76% Impervious Runoff Depth>7.29"
Tc=5.0 min CN=90.76 Runoff=0.88 cfs 2,824 cf

Subcatchment3S: PR. Blue Roof Basin Runoff Area=1,795 sf 100.00% Impervious Runoff Depth>8.15"
Tc=5.0 min CN=98.00 Runoff=0.35 cfs 1,220 cf

Subcatchment4S: PR. Bypass Basin Runoff Area=2,857 sf 60.17% Impervious Runoff Depth>7.29"
Tc=5.0 min CN=90.83 Runoff=0.54 cfs 1,737 cf

Pond 1P: Blue Roof Peak Elev=46.70' Storage=273 cf Inflow=0.35 cfs 1,220 cf
Outflow=0.13 cfs 1,214 cf

Link 2L: EX. Outfall Inflow=0.88 cfs 2,824 cf
Primary=0.88 cfs 2,824 cf

Link 4L: PR. Outfall Inflow=0.65 cfs 2,951 cf
Primary=0.65 cfs 2,951 cf

Total Runoff Area = 9,304 sf Runoff Volume = 5,781 cf Average Runoff Depth = 7.46"
32.35% Pervious = 3,010 sf 67.65% Impervious = 6,294 sf




Z105
CONTROL-FLO ROOF DRAIN
W/ PARABOLIC WEIR

SPECIFICATION SHEET

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



Specify Number of Notches in Weir	
___-N1	One Notch
___-N2	Two Notches
___-N3	Three Notches
___-N4	Four Notches
___-N5	Five Notches
___-N6	Six Notches

A- Pipe Size In.[mm]	Approx. Wt. Lbs. [kg]	Dome Open Area Sq. In. [cm ²]
2,3,4 [51,76,102]	34 [15]	103 [665]

ENGINEERING SPECIFICATION: ZURN Z105

15" [381mm] Diameter Control-Flo roof drain for dead-level roof construction, Dura-Coated cast iron body, Control-Flo weir shall be linear functioning with integral membrane flashing clamp/gravel guard and Poly-Dome. All data shall be verified proportional to flow rates. Each notch will allow 10 GPM [LPM] of flow per 1" [25mm] of rain water build up above the drain.

OPTIONS (Check/specify appropriate options)

PIPE SIZE

- 3, 4 [76, 102]
- 2, 3, 4 [51, 76, 102]
- 2, 3, 4 [51, 76, 102]

(Specify size/type) **OUTLET**

- ___ IC Inside Caulk
- ___ NH No-Hub
- ___ NL Neo-Loc

E BODY HT. DIM.

- 5-1/4 [133]
- 5-1/4 [133]
- 4-9/16 [116]

PREFIXES

- ___ Z D.C.C.I. Body with Poly-Dome*
- ___ ZA D.C.C.I. Body with Aluminum Dome
- ___ ZC D.C.C.I. Body with Cast Iron Dome

SUFFIXES

- ___ -C Underdeck Clamp
- ___ -DP Top-Set® Deck Plate (Replaces both -C & -R)
- ___ -E Static Extension 1 [25] thru 4 [102] (Specify Ht.)
- ___ -EA Adjustable Extension Assembly
2-1/8 [54] thru 3-1/2 [89]
- ___ -G Galvanized Cast Iron
- ___ -R Roof Sump Receiver
- ___ -TC Neo-Loc Test Cap Gasket (2,3,4 [51,76,102] NL Bottom Outlet Only)
- ___ -VP Vandal Proof Secured Top
- ___ -10 6 [152] High Parabolic Weir for Sloped Roof (ZC or ZA)

* Regularly furnished unless otherwise specified.

Appendix C

Draft Drainage Maintenance Agreement

Block _____ E 012 3544

AGREEMENT COVENANT

AGREEMENT made this _____ day of _____ by and between _____ of 70 Forest Street LLC in the City of Stamford, County of Fairfield and State of Connecticut (hereinafter referred to as "Owner"); and the **CITY OF STAMFORD**, a municipal corporation lying within the County of Fairfield and State of Connecticut, acting herein by its duly authorized Mayor, David R. Martin (hereinafter referred to as the "CITY"), the **ENVIRONMENTAL PROTECTION BOARD OF THE CITY OF STAMFORD**, acting herein by its duly authorized Chairman, Gary H. Stone (hereinafter referred to as the "EPB").

WITNESSETH

WHEREAS, OWNER has commenced the planning and construction of a new parking garage addition, driveway, and sidewalk improvements on land owned by it and as more particularly described on Schedule "A" annexed hereto and made of part hereof (hereinafter referred to as the "Property"); and

WHEREAS, certain drainage facilities ("Drainage Facilities"), including but not limited to a blue roof system with controlled flow roof drains as more particularly described on Schedule "B" attached (the "Construction Plans") shall be installed in connection with the aforesaid construction and in accordance with the Construction Plans and _____ Permit No. _____ issued by the _____ Board of the City of Stamford (_____) issued

therefore, ("Permit") and;

WHEREAS, OWNER, the CITY and EPB share a joint concern that the Drainage Facilities be maintained in a functioning condition so as to avoid pollution of surface and groundwaters, flooding and/or improper drainage.

NOW, THEREFORE, in consideration of ten dollars and other good and valuable consideration receipt of which is hereby acknowledged by the OWNER, it is hereby agreed as follows:

- 1) OWNER shall clean the drainage facilities or cause such facilities to be cleaned by periodic removal of accumulated sediment and debris in a good and workman-like manner, at least two (2) times during every twelve (12) month period, which times shall be in the period between April and June and between October and December and more often as the City may determine to be necessary.
- 2) OWNER shall sweep, or cause to be swept, garage facilities, driveways and roadway surfaces located on the Property at least once per calendar quarter.
- 3) OWNER shall utilize only sand or calcium chloride in connection with the de-icing of areas within the Property meaning and intending that road salt (Sodium Chloride) shall not be used for said purpose.
- 4) OWNER shall repair or replace any defects or defective drainage

facilities so as to maintain the drainage facilities, at all times, in a fully functional capacity.

- 5) OWNER shall file as-built drainage plans with the EPB immediately upon the completion of work. Said plans shall be prepared by a professional engineer/surveyor registered in the State of Connecticut.

- 6) OWNER grants the CITY and/or EPB, its agents, and employees, the right to enter the Property at all reasonable times upon twenty-four (24) hours notice to the OWNER for the purpose of inspecting the Property to determine if OWNER is complying with the requirements hereunder. A representative of the Owner shall have the right to accompany the City and/or EPB on their inspection of the Property.

- 7) If, after an inspection is made pursuant to Paragraph Six (6) hereof, the CITY and/or EPB determines that the owner has failed to comply with the aforesaid undertakings, then the CITY and/or EPB shall give written notice of said determination to the then OWNER of the Property which notice shall also specify the said failure. Said notice shall be sent by registered or certified mail to the last known address of said Owner. If the Owner disputes the claim, he shall give written notice thereof to City and/or EPB within ten (10) days of receipt of said notice, and the EPB shall hold a hearing as promptly as possible to decide the merits of the disputed claim. If the claim is not disputed within

said ten (10) days, the OWNER shall have thirty (30) days from the receipt of said notice to correct said failure, unless it is impossible to cure said defect within said time, in which case, the necessary repairs shall be immediately commenced and diligently pursued to completion within a reasonable time.

- 8) If the said failure is not remedied within the time frame herein stated, the CITY and/or EPB may proceed to cure the same and charge the actual cost thereof to the OWNER of the Property.
- 9) OWNER agrees to reimburse the CITY and/or EPB for reasonable legal fees and court costs if it becomes necessary for the CITY and/or EPB to sue for reimbursement of sums expended by the CITY and/or EPB in performance of OWNER'S obligation.
- 10) OWNER agrees and covenants to indemnify and save harmless the CITY and the EPB against any and all claims, suits, actions or judgments arising out of the delay in the performance of any of their obligations pursuant to this Agreement.
- 11) OWNER agrees that this covenant and restriction shall apply to and run with the land. It shall be binding on all future owners, administrators, executors, successors and assigns.
- 12) The OWNER hereby represents to the CITY and EPB that he/she is the owner, in fee simple, of all of the property described in "Schedule A" attached hereto and made a part hereof.

- 13) OWNER agrees that this Agreement and restrictive covenant upon execution of the same, shall be recorded on the land records at the OWNER'S expense at the time that a permit is issued for the Property herein and while the OWNER is in title.
- 14) OWNER agrees not to assert the invalidity of this document.
- 15) OWNER agrees that nothing herein shall be construed to be a limitation upon the right of the EPB to assert and enforce any rights it may have under federal, state or City statute, ordinance or regulation.
- 16) This agreement shall be governed by the laws of the State of Connecticut.

IN WITNESS WHEREOF, the said parties hereto have hereunto set their hands and seals, the day and year first above written.

WITNESSED:

THE CITY OF STAMFORD

BY: _____

David R. Martin
Its duly authorized Mayor

(ACKNOWLEDGEMENT ON THE FOLLOWING PAGE)

STATE OF CONNECTICUT}
} ss: STAMFORD Date: _____
COUNTY OF FAIRFIELD }

Personally appeared Gary H. Stone, Chairman of the Environmental Protection Board of the City of Stamford, signer and sealer of the foregoing instrument, and acknowledged the same to be his free act and deed and the free act and deed of said Commission, before me.

Commissioner of the Superior Court
or Notary Public

STATE OF CONNECTICUT }
} ss: STAMFORD Date: _____
COUNTY OF FAIRFIELD }

Personally appeared _____, signer and sealer of the foregoing instrument, and acknowledge the same to be _____ free act and deed, before me.

Commissioner of the Superior Court
or Notary Public

Appendix D

DCIA Tracking Spreadsheet
Checklist for Stormwater Management Report



Note to user: complete all cells of this color *only*

Part 1: General Information	
Project Name	Highgrove Parking Garage
Project Address	70 Forest Street & 251 Greyrock Place
Project Applicant	70 Forest Street LLC, c/o Redniss & Mead
Date of Submittal	4/24/2023
Tax Account Number	004-5379 & 001-5158

Part 2: Project Details	
1. What type of development is this? (choose from dropdown)	Redevelopment
2. What is the total area of the project site?	4,258 ft²
3. What is the total area of land disturbance for this project?	4,258 ft²
4. Does project site drain to High Quality Waters, a Direct Waterfront, or within 500 ft. of Tidal Wetlands? (Yes/No)	No
5. What is the <u>current</u> DCIA for the site?	2,502 ft²
6. Will the proposed development increase DCIA (without consideration of proposed stormwater management)? (Yes/No)	Yes
7. What is the <u>proposed-development</u> total impervious area for the site?	3,515 ft²

Part 3: Water Quality Target Total	
Does Standard 1 apply based on information above?	No, Skip to Part 4
Water Quality Volume (WQV)	N/A ft³
Standard 1 requirement	N/A
Required treatment/retention volume	N/A ft³
Provided treatment/retention volume for proposed development	ft ³

Part 4: Proposed DCIA Tracking	
Pre-development total impervious area	2,502 ft²
Current DCIA	2,502 ft²
Proposed-development total impervious area	3,515 ft²
Proposed-development DCIA (after stormwater management)	3,515 ft²
Net change in DCIA from <u>pre-development</u> to <u>proposed-development</u>	1,013 ft²

Part 5: Post-Development (As-Built Certified) DCIA Tracking	
Post-development (per as-built) total impervious area	ft ²
Post-development (per as-built) DCIA (after stormwater management)	ft ²
Net change in DCIA from <u>pre-development</u> to <u>post-development</u>	ft ²

Certification Statement	
I hereby certify that the information contained in this worksheet is true and correct.	
Engineer's Signature <u></u>	Date <u>5/09/2023</u>
Engineer's Seal <u></u>	



City of Stamford
 Engineering Bureau
 888 Washington Boulevard, 7th Floor Stamford, CT 06901
 Phone 203-977-4189

CHECKLISTS

Project Name: _____

Project Address _____

Property Owner(s) _____

Tax Account Number(s) _____

Engineer's Signature Bob Howard Date: _____

All checklists must be completed and submitted. Provide a brief explanation for any items not provided. Check boxes as completed or N/A as not applicable.

<input type="checkbox"/>	Existing Conditions Plan
<input type="checkbox"/>	Stormwater Management Report
<input type="checkbox"/>	Stormwater Management Plan / Construction Plan
<input type="checkbox"/>	Certificate of Occupancy

Checklist for Existing Conditions Plan

I. General Information

<input type="checkbox"/>	Site address
<input type="checkbox"/>	Orientation, block, zone, City, street name
<input type="checkbox"/>	Applicant name and legal address
<input type="checkbox"/>	Surveyor name, address, contact information
<input type="checkbox"/>	North arrow, bar scale, horizontal and vertical datum
<input type="checkbox"/>	24" x 36" sheet size unless otherwise approved
<input type="checkbox"/>	Existing conditions survey shall be prepared in accordance with the Minimum Standards for Surveys and Maps in the State of Connecticut. The class of survey shall be A-2 and T-2 and shall be represented as such on the map. The base map shall be sealed and signed by a Professional Land Surveyor licensed in the State of Connecticut.
<input type="checkbox"/>	Drawing scale shall be set at 1" = 20' or 1" = 40' when possible



II. Existing Conditions Plan Elements

	Show and label all property boundaries with linear bearing / distances and curve information
	Required zoning setbacks
	Show and label monument information
	Show and label at least one permanent benchmark on the parcel with northing, easting and elevation
	Label adjacent property ownership information
	Existing contours based on NAVD 88 (no exceptions) at 2 foot contour interval or 1 foot contour interval when slope is flatter than 2 percent at a minimum of 20 ft. beyond the property boundaries of the subject parcel
	Show spot elevations at low points, high points, and where topography is flatter than 2 percent
	All buildings and structures (label current use and finished floor elevations)
	All pavement, parking, driveways, property access points
	All roadways, streets, and rights-of-way. Label streets as public or private with street name
	All patios, decks, walkways, sidewalks, curb ramps (both adjacent to and opposite and existing roadways or intersections)
	Show and label (size, material, inverts) all existing utilities (overhead and underground) within the right-of-way and the project site (label ownership) including but not limited to water, gas and electrical services, wells, storm sewers, sanitary sewers and subsurface sewerage disposal systems.
	Show and label existing conveyance systems (swales, ditches, storm drains) including dimensions, elevations, sizes, slopes, and direction of flow
	Show and label boundaries of all easements, both public and private, with type, owner, and width
	Show and label all other existing features and improvements (e.g. light poles, mature trees of 8" (dbh) diameter or greater, vegetation, walls with top and bottom elevations, fences, pavement markings)

III. Resource Areas

N/A	Show and label limits of inland wetlands, tidal wetlands and any associated setbacks.
N/A	Show and label existing natural site features including tree canopy, outcroppings, permanent and intermittent watercourses, waterbodies, streams
N/A	Show and label limits of floodplain and floodway along with FIRM references (Community Number, Panel, Suffix, and Date) including any effective Letters of Map Revision/Amendment, zone designation and elevation.
N/A	Show and label any Conservation Easement Areas
N/A	Show and label Connecticut Coastal Jurisdiction Line (CJL)
N/A	Show and label existing steep slopes (25% and greater)



Checklist for Stormwater Management Report

I. Project Report

A. Applicant / Site Information

	Applicant name, legal address, contact information (email & phone)
	Engineers name, legal address, contact information (email & phone)
	Site address and legal description
	Current / proposed zoning and land use
	Site vicinity map (8.5" x 11")

B. Project Description and Purpose

	Project description including proposed project elements and anticipated construction schedule
--	---

C. Existing Conditions Description

	Site area, ground cover, vegetation, features (roads, buildings, utilities, etc.)
	Site topography, slopes, drainage patterns, conveyances systems (swales, storm drains, etc.), stormwater discharge locations
	Receiving waterbody information including stormwater impairments and TMDL information (See the most recent State of Connecticut Integrated Water Quality Report)
	Site soils information including soil types, hydrologic soil group, bedrock / outcroppings, groundwater elevation, significant geologic features
	Provide NRCS Soils Mapping
N/A	Resource protection areas (wetlands, streams, lakes, etc.), buffers, floodplains, floodways

D. Summary of Applicable General Design Criteria

	Methodology, design storm frequency
	Hydrologic design criteria
	Hydraulic design criteria
	Flood hazard areas

	Applying under "Lite" Stormwater Management: Skip to Section I (Refer to Flow Chart on page vii of the City of Stamford Stormwater Drainage Manual)
--	---

E. Project Type in Accordance with Standard 1 Definitions

	Area of disturbance, receiving waterbody classification (High Quality, Tidal Wetlands, Direct Waterfront)
	Project type (development, redevelopment, linear development)
	Pollutant reduction standard per flowchart Section 2.4



F. Summary of LID Site Constraints

N/A	Description of sensitive areas for protection
	Mature tree inventory, which shall include 8-inch (dbh) diameter trees or greater
	Steep slopes
	Ledge and bedrock depth
	Seasonal high groundwater elevation
N/A	Pollutant hotspots
	Summary of infiltration rates

G. Summary of Proposed Stormwater Treatment Practices

	Proposed LID controls (i.e. minimize impervious, minimize DCIA, minimize disturbance, increase time of concentrations, other LID controls and strategies)
	Location, size, types
	Design criteria and references
	Stormwater treatment practice, drainage area characteristics / details

H. Summary of Compliance with Standards 1

N/A	Required pollutant reduction criteria
	Provided pollutant reduction (WQV) by stormwater treatment practice
	Summary of compliance with Standard 1

I. Summary of Compliance with Standards 2, 3, and 4

N/A	Description of proposed stormwater management system
	Pre-development site hydrology with delineation of each watershed area and sub-basin
	Post-development site hydrology with delineation of each watershed area and sub-basin
	Comparison table of pre- and post-development hydrology, peak flow, volume, and percent difference
	Summary table of watershed areas and sub-basin areas, time of concentration and runoff coefficients
N/A	Summary table demonstrating the 2-year, 24-hour post development peak flow rate is less than or equal to the lowest of either: - The pre-development 1-year, 24-hour storm peak flow rate - 50 percent of the pre-development 2-year, 24-hour storm peak flow rate
	Conveyance protection, emergency outlet sizing
N/A	Hydraulic grade line summary and tail water elevation used in analysis
	Construction erosion and sediment control description, Standard 3
	Operation and Maintenance, maintenance tasks and schedule on construction plans per Standard 4



J. Summary of Compliance with Applicable Drainage Facility Design Requirements

	Description of applicable design requirements and compliance
	Description of proposed drainage facilities and compliance

K. Stormwater Management Report

	Signed and stamped by professional engineer licensed in the State of Connecticut
	Drainage impact statement in accordance with Standard 5B.

II. **Supporting Calculations** (as appendix to Project Report)

	<u>Applying under "Lite" Stormwater Management: Skip to Section N</u>
--	--

L. Water Quality Volume / Water Quality Flow Calculations

N/A	Calculations demonstrating the total Water Quality Volume generated by the post-development site and the required retention/treatment volume per Standard 1 in cubic feet.
N/A	Calculations demonstrating the total Water Quality Volume retained/treated by each stormwater treatment practice and the total Water Quality Volume generated by the post-development contributing drainage area to each stormwater treatment practice

M. Stormwater Treatment Practice Sizing Calculations

N/A	Calculations demonstrating how each stormwater treatment practice has been designed and sized in accordance with the Structural Stormwater BMP Design references in Appendix B. Calculations will vary by stormwater treatment practice, but a minimum, applicants shall provide calculations in accordance with design criteria from the Connecticut Stormwater Quality Manual.
-----	--

N. Hydrologic and Hydraulic Design Calculations

N/A	Stream channel protection, Standard 2A
	Conveyance protection, Standard 2B
	Peak flow control (1-year, 2-year, 5-year, 10-year, 25-year, and 50-year storms), Standard 2C
N/A	Inlet analysis
N/A	Gutter flow (Site by site basis as requested by Engineering Bureau)
N/A	Storm sewers and culverts (velocities, capacity, hydraulics)
N/A	Hydraulic grade line required when pipe is flowing at full capacity <ul style="list-style-type: none"> o Provide existing and proposed summary table o Provide existing and proposed mapping, label structures
N/A	Detention facilities (outlet structure, stage/storage, freeboard)
	Emergency outlet sizing, safely pass the 100 year storm, Standard 2D
N/A	Outlet protection calculations, based on conveyance protection (i.e. riprap, energy dissipater)



O. Hydrologic and Hydraulic Model, Existing and Proposed

	Drainage routing diagram
	Summary
	Storage pond input

P. Downstream analysis (Site by site basis as required by the Engineering Bureau)

N/A	Downstream analysis, Standard 2E
-----	----------------------------------

III. Supporting Mapping (as appendix to Project Report)

O. Pre-Development Drainage Basin Area Mapping

N/A	11" x 17" or 8.5" x 11" sheet size
	Topography, drainage patterns, drainage area boundaries and sub basins, flow paths, times of concentration
	Locations of existing stormwater discharges
	Perennial and intermittent streams, wetlands, and floodplain / floodways
	NRCS soil types, locations, boring locations, infiltration testing locations
	Vegetation and groundcover
	Existing roads, buildings, driveways, parking areas, walks, patios, pools and other impervious surfaces, decks and other structures
	Location, size, type of existing structural stormwater controls, facilities and conveyance systems

R. Post-Development Drainage Basin Area Mapping

N/A	11" x 17" or 8.5" x 11" sheet size
	Topography, drainage patterns, drainage area boundaries and sub basins, flow paths, times of concentration
	Locations of proposed stormwater discharges
	Perennial and intermittent streams, wetlands, and floodplain / floodways
	NRCS soil types, locations, boring locations, infiltration testing locations
	Vegetation, ground cover and proposed limits of clearing/disturbance
	Proposed, roads, buildings, driveways, parking areas, walks, patios, pools and other impervious surfaces, decks and other structures
	Location, size, type of proposed structural stormwater controls, facilities and conveyance systems

IV. DCIA Tracking Worksheet (as appendix to Project Report)

	DCIA Tracking Worksheet (Use form found in Appendix E)
--	--



V. Proposed LID Review Map

	Applying under "Lite" Stormwater Management - Proposed LID Review Map <u>NOT</u> required.
--	---

A. General

	Site address
	Applicant name, legal address, contact information
	Engineers name, address, contact information
	North arrow, bar scale, horizontal and vertical datum
	Drawing scale shall be set at 1"=20' or 1"=40' when possible
	Signed and stamped by a Licensed Professional Engineer in the State of Connecticut
	11" x 17" or 24" x 36" sheet size unless otherwise approved
	Existing and proposed contours based on NAVD 88 at 2 foot contour interval or 1 foot contour interval when slope is flatter than 2 percent
	Locations of existing stormwater discharges
	Roads, buildings, driveways, parking areas, walks, patios, pools and other impervious surfaces, and decks and other structures
	Location, size, ownership of stormwater conveyance systems (swales, pipes, etc.)

B. LID Constraints:

	Boring / test pit locations
	Infiltration testing locations and results
	Vegetation and proposed limits of clearing / disturbance
	NRCS soils mapping
	Steep slopes
	Surface waters / Perennial and intermittent streams
	Resource protection areas and buffers, wetlands, floodplain / floodways
	Existing vegetation and mature trees, which shall include 8-inch (dbh) diameter trees or greater
	Poor soils (HSG C & D)
	Shallow bedrock / ledge
	Seasonal high groundwater elevation
	Other site constraints (e.g. brownfield caps)

C. Proposed Stormwater Treatment Measures:

	Location, size, type, limits, and WQV provided by each proposed stormwater treatment practices
	Drainage area to each proposed stormwater treatment practice (total area, impervious area, WQV)

D. Site Summary Table:

	Total site area, disturbed area, pre- and post-development impervious areas
	Required pollutant reduction volume (retention or detention)
	Provided pollutant reduction volume (retention or detention)



Checklist for Stormwater Management Plan / Construction Plans

A. General

	Site orientation, address and legal description
	Applicant name, legal address, contact information
	Engineers name, address, contact information
	North arrow, bar scale, horizontal and vertical datum
	Drawing scale shall be set at 1"=20' or 1"=40' when possible
	Stamped by a Licensed Professional Engineer in the State of Connecticut
	24" x 36" sheet size unless otherwise approved

B. Site Development Plans

	City of Stamford Standard Notes
	As required by the Drainage Maintenance Agreement, provide a written narrative describing the nature of the proposed development activity and the program for operation and maintenance of drainage facilities and control measures throughout the life of the project.
	Existing and proposed contours based on NAVD 88 at 2 foot contour interval or 1 foot contour interval when slope is flatter than 2 percent
	All required spot elevations to clearly depict positive pitch
	Top and bottom elevation of all walls
	Roads, buildings, driveways, parking areas, walks, patios, pools and other impervious surfaces, and decks and other structures
	All utilities and easements
	Location, size, maintenance access, type of proposed structural stormwater controls and facilities with elevations and inverts
	Location, size, maintenance access, type of proposed non-structural stormwater controls and facilities with elevations and inverts
	Location, size, type of proposed stormwater infrastructure, inlets, manholes, infiltration and detentions systems, control structures with elevations and inverts
	Location, size, ownership of stormwater conveyance systems (swales, pipes, etc.) with elevations and inverts
	Identify roof leaders, curtain drains and foundation drains with elevations and inverts
	Proposed water quality treatment systems, size and model type
	Final stabilization measures which may include slope stabilization

C. Erosion and Sedimentation Control Plan

	Phasing and schedule
	Construction access and staging and stock pile areas
	Operation and maintenance of erosion and sedimentation controls
	Tree protection
	Downstream protection such as location of silt fencing
	Limit of disturbance
	Construction fencing



City of Stamford
Engineering Bureau
888 Washington Boulevard, 7th Floor Stamford, CT 06901
Phone 203-977-4189

D. Construction Details

	Standard City of Stamford details
	Infiltration system details
	Control structure details
	Water quality treatment details
	Infiltration testing results

Checklist for Certificate of Occupancy

	Final Improvement Location Survey
	Stormwater Management Certification Form
	Final DCIA Tracking Worksheet
	Standard City of Stamford Drainage Maintenance Agreement (Agreement Covenant)

Other Certifications at the discretion of the Engineering Bureau and/or EPB

	Wall Certification
	Landscape Certification
	Landscape Maintenance Agreement
	Waiver Covering Storm Sewer Connection
	Waiver Covering Granite Block, Depressed Curb, and Driveway Aprons
	Flood Certification

May 4, 2023

City of Stamford Planning & Zoning Boards
c/o Ralph Blessing, Land Use Bureau Chief
888 Washington Boulevard
Stamford, CT 06901

Re: 70 Forest Street and 251 Greyrock Place - Stamford, CT

Dear Mr. Blessing and Board Members:

This letter serves to authorize Redniss & Mead, with offices at 22 First Street in Stamford, CT, to act as our agent in connection with the preparing, filing, and processing of any and all applications required for Planning and Zoning approvals relating to the above referenced properties.

Thank you for your acknowledgement of said authority.

Sincerely,

DocuSigned by:
Geoff Ringler
3667B73CAD8B452

70 FOREST STREET LLC